

Canadian Journal of Anesthesia

Index of Authors

Volume 46, December 1999

Note: Entries are reports of investigation unless otherwise indicated. Abstracts and refresher course outlines in the *May Annual Meeting Supplement* are not included in this index.

A

- Abramson AL*, see *Barst SM*, jt. auth.
Abud TMV, see *Barra Bisinotto FM*, jt. auth.
Adu-Gyamfi Y, see *Selim N*, jt. auth.
Ady N, see *Ezri T*, jt. auth.
Agata H, *Ichinobe T*, *Kaneko Y*. Felypressin-induced reduction in coronary blood flow and myocardial tissue oxygen tension during anesthesia in dogs (laboratory investigation), 1070
Ahmed AAK, *Kumagai M*, *Otake T*, *Kurata Y*, *Amaki Y*. Sevoflurane exposure time and the neuromuscular blocking effect of vecuronium, 429
Akazawa S, see *Ikeno S*, jt. auth.
Al Damegh S, see *Naguib M*, jt. auth.
Alexander J, see *Seear M*, jt. auth.
Al-Ghamdi A, see *Selim N*, jt. auth.
AlSatli RA, see *Naguib M*, jt. auth.
Amaki Y, see *Ahmed AAK*, jt. auth.
Anderson JL, see *Hill GE*, jt. auth.
Angle P, *Thompson D*, *Halpern S*, *Wilson DB*. Second stage pushing correlates with headache after unintentional dural puncture in parturients, 861
Annala P, see *Viitanen H*, jt. auth.
Anslley DM, *Sun J*, *Visser WA*, *Dolman J*, *Godin DV*, *Garnett ME*, *Qayumi AK*. High dose propofol enhances red cell antioxidant capacity during CPB in humans, 641
Antognini JF, *Wang XW*. Isoflurane indirectly depresses middle latency auditory evoked potentials by action in the spinal cord in the goat (laboratory investigation), 692
Anzawa N, see *Kubota T*, jt. auth.
Aono J, see *Mamiya K*, jt. auth.
Aouad-Maroun M, see *Siddik-Sayyid S*, jt. auth.
Aouifi A, *Pirion V*, *Bastien O*, *Joseph P*, *Blanc P*, *Chiari P*, *Diab C*, *Villard J*, *Lehot JJ*. Complications digestives sévères après chirurgie cardiaque sous circulation extra-corporelle, 114
Aoyama K, see *Takenaka I*, jt. auth.
Archer D, see *Yang T*, jt. auth.
Arndt GA, *Buchika S*, *Kranner PW*, *DeLessio ST*. Wire-guided endobronchial blockade in a patient with a limited mouth opening (equipment report), 87
Asai T, *Matsumoto H*, *Shingu K*. Awake tracheal intubation

through the intubating laryngeal mask (brief clinical report), 182

- Au CL*, *White SA*, *Grant RP*. A novel intubation technique for tracheoesophageal fistula in adults (clinical report), 688
Aubin P, *Vischoff D*, *Haig M*, *Villeneuve E*, *Charest J*, *Lallier M*, *Di Lorenzo M*. Management of an infant with diffuse bullous pulmonary lesions using high-frequency oscillatory ventilation (clinical report), 970
Anden SM, see *Rodriguez RA*, jt. auth.
Austin EH III, see *Rodriguez RA*, jt. auth.
Avcı A, see *Durak Y*, jt. auth.
Avery N, see *Parlow JL*, jt. auth.
Awad I, see *Browne J*, jt. auth.
Aya AGM, *Mangin R*, *Robert C*, *Ferrer J-M*, *Eledjam J-J*. Increased risk of unintentional dural puncture in night-time obstetric epidural anesthesia, 665
Azmudéh A, see *Ries CR*, jt. auth.

B

- Babin D*, see *Couture P*, jt. auth.
Bailey PM, see *Dob DP*, jt. auth.
Bandi E, *Weeks S*, *Carli F*. Spinal block levels and cardiovascular changes during post-Cesarean transport, 736
Baraka A, *Siddik S*, *Kawkabani N*. Cisatracurium in a myasthenic patient undergoing thymectomy (clinical report), 779
 - see *Siddik-Sayyid S*, jt. auth.
Bardwaj A, see *Coleman MM*, jt. auth.
Barra Bisinotto FM, *Braz JRC*, *Martins RHG*, *Gregório EA*, *Abud TMV*. Tracheobronchial consequences of the use of heat and moisture exchangers in dogs (laboratory investigation), 897
Barst SM, *Leiderman JU*, *Markowitz A*, *Rosen AM*, *Abramson AL*, *Bienkowski RS*. Ondansetron with propofol reduces the incidence of emesis in children following tonsillectomy, 359
Bartosik L, see *Chang L*, jt. auth.
Basta M, *Sloan P*. Epidural hematoma following epidural catheter placement in a patient with chronic renal failure (brief report), 271
Bastien O, see *Aouifi A*, jt. auth.
Batra YK, see *Rajceva V*, jt. auth.
Baxter FJ, see *Kahn L*, jt. auth.

- Beamish T, see Milne A, jt. auth.
- Beauchet A, see Fellahi J-L, jt. auth.
- Bédard JM, Richardson MG, Wissler RN. General anesthesia with remifentanyl for Cesarean section in a parturient with an acoustic neuroma (clinical report), 576
- Belani KG, Buckley JJ, Poliac MO. Accuracy of radial artery blood pressure determination with the Vasotrac™ (equipment report), 488
- Ben-David B, see Varkel V, jt. auth.
- Bengtson JP, see Einarsson S, jt. auth.
- Bengtsson A, see Einarsson S, jt. auth.
- Benhamou D, Bouaziz H, Zerrouk N, Préaux N. Audit of ketoprofen prescribing after orthopedic and general surgery, 109
- Bergeron L, Girard M, Drolet P, Grenier Y, Le Truong HH, Boucher C. Spinal procaine with and without epinephrine and its relation to transient radicular irritation, 846
- Bernstein EP, see Littleford JA, jt. auth.
- Bessell JR, see Mouton WG, jt. auth.
- Bhardwaj D, Norris A, Wong DT. Is skin puncture beneficial prior to arterial catheter insertion?, 129
- Peng P. An uncommon mechanism of brachial plexus injury. A case report (clinical report), 173
- Bhardwaj N, see Rajeeva V, jt. auth.
- Bienkowski RS, see Barst SM, jt. auth.
- Bissonnette B, Swan H, Ravussin P, Un V.
Neuroleptanesthesia: current status (review article), 154
- Blackstock D, see Donen N, jt. auth.
- Blanc P, see Aouifi A, jt. auth.
- Boccaro G, see Mann C, jt. auth.
- Boezaart AP, de Beer JF, du Toit C, van Rooyen K. A new technique of continuous interscalene nerve block (anesthesia technique), 275
- Bond DM. Pre-anesthetic assessment clinics in Ontario (occasional review), 382
- Bouaziz H, see Benhamou D, jt. auth.
- Boucher C, see Bergeron L, jt. auth.
- Boudreault D, see Couture P, jt. auth.
- Bourdarias J-P, see Fellahi J-L, jt. auth.
- Boyle K, see Manninen PH, jt. auth.
- Braz JRC, see Barra Bisinotto FM, jt. auth.
- Breen TW, see Yang T, jt. auth.
- Brimacombe J, Keller C. Comparison of the flexible and standard laryngeal mask airways, 558
- Water flow between the upper esophagus and pharynx for the LMA and COPA in fresh cadavers (brief report), 1064
- see Keller C, jt. auth.
- Broadman L, see Ivani G, jt. auth.
- Brockhurst NJ, see Littleford JA, jt. auth.
- Brown S, see Cruickshanks GF, jt. auth.
- Browne J, Awad I, Plant R, McAdoo J, Shorten G. Topical amethocaine (Ametop™) is superior to EMLA for intra-venous cannulation, 1014
- Bryson GL, see Self DD, jt. auth.
- Buchika S, see Arndt GA, jt. auth.
- Buckley JJ, see Belani KG, jt. auth.
- Buggy DJ, see Molloy ME, jt. auth.
- Burlacoff L, see Rapanos T, jt. auth.
- Burt N, Pruner MM, Williams AR. Airway management of a child after tracheal resection (brief report), 1178
- Bussièrès J, see Vézina D, jt. auth.
- Butler R, see Porayko LD, jt. auth.
- Büyükköçak S, see Durak Y, jt. auth.
- Byrick RJ, Mullen JB, Murphy PM, Kay JC, Stewart TE, Edelist G. Inhaled nitric oxide does not alter pulmonary or cardiac effects of fat embolism in dogs after cemented arthroplasty (laboratory investigation), 605
- C**
- Carignan S, see Couture P, jt. auth.
- Carli F, see Bandi E, jt. auth.
- see Schricker T, jt. auth.
- Carrier M, see Gravel NR, jt. auth.
- Carroll J, see Karski JM, jt. auth.
- Carroll MT, see Lowry DW, jt. auth.
- Casaletti E, see Casati A, jt. auth.
- Casati A, Fanelli G, Casaletti E, Colnaghi E, Cedrati V, Torri G. Clinical assessment of target-controlled infusion of propofol during monitored anesthesia care, 235
- Cedrati V, see Casati A, jt. auth.
- Chan AMH, Ng KFJ, Tong EWN, Jan GSK. Control of shivering under regional anesthesia in obstetric patients with tramadol, 253
- Chan F, Ngan Kee WD. Idiopathic dilated cardiomyopathy presenting in pregnancy (clinical report), 1146
- Chan PSL, see Parlow JL, jt. auth.
- Chan V, see Peng P, jt. auth.
- see Vaghadia H, jt. auth.
- Chan VVWS, see Coleman MM, jt. auth.
- Chang L, Looi-Lyons L, Bartosik L, Tindal S. Anesthesia for Cesarean section in two patients with brain tumours (clinical report), 61
- Charest J, see Aubin P, jt. auth.
- Cheam EWS, Critchley LAH, Chui PT, Yap JCM, Ha VWS. Low dose mivacurium is less effective than succinylcholine in electroconvulsive therapy (brief report), 49
- Chen C-T, see Huang C-J, jt. auth.
- Chen FG, see Koh KF, jt. auth.
- Cheng C-R, see Huang C-J, jt. auth.
- Cheng D, see Karski JM, jt. auth.
- Cheong KF, see Koh KF, jt. auth.
- Chia Y-Y, Liu K, Wang J-J, Kuo M-C, Ho S-T.
Intraoperative high dose fentanyl induces postoperative fentanyl tolerance, 872
- Chiari P, see Aouifi A, jt. auth.

- Chin C, Lerman J, Endo J. Acute lung injury after tracheal instillation of acidified soya-based or Enfalac® or human breast milk in rabbits (laboratory investigation), 282
- Chitayat D, see Cruickshanks GF, jt. auth.
- Chong JL, see Sia AT-H, jt. auth.
- Choudhry DK, Schwartz RE, Stayer SA, Shevchenko Y, Rehman M. Anesthetic management of living liver donors (brief report), 788
- Chui PT, see Cheam EWS, jt. auth.
- Chung DC, Mainland P-A, Kong AS. Anesthesia of the airway by aspiration of lidocaine, 215
- Chung F, Mezei G, Tong D. Adverse events in ambulatory surgery. A comparison between elderly and younger patients, 309
- see Peng P, jt. auth.
- Cicutti N, see Murto K, jt. auth.
- Çimen MYB, see Durak Y, jt. auth.
- Clanachan AS, see Tsui BCH, jt. auth.
- Claxton A, see Peng P, jt. auth.
- Cleland M, see Crosby E, jt. auth.
- Coddens J, see Deneu S, jt. auth.
- Coetzee A, see Conradie S, jt. auth.
- Coetzee J, see Conradie S, jt. auth.
- Cohen MM, see Devitt JH, jt. auth.
- Colbert ST, Curran E, O'Hanlon DM, Moran R, McCarroll M. Intra-articular tenoxicam improves postoperative analgesia in knee arthroscopy, 653
- Coleman MM, Bardwaj A, Chan VVWS. Back pain and collapse associated with receding subarachnoid blockade (clinical report), 464
- Collins L, Halwani A, Vaghadia H. Impact of a regional anesthesia analgesia program for outpatient foot surgery, 840
- Colnaghi E, see Casati A, jt. auth.
- Colson P, see Mann C, jt. auth.
- Connelly NR, see Shulman GB, jt. auth.
- Conradie S, Coetzee A, Coetzee J. Anesthetic modulation of myocardial ischemia and reperfusion injury in pigs: comparison between halothane and sevoflurane (laboratory report), 71
- Cooke T, see Lydon AM, jt. auth.
- Couture P, Denault AY, Carignan S, Boudreault D, Babin D, Ruel M. Intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography, 827
- Covert CR, see Tessler MJ, jt. auth.
- Critchley LAH, see Cheam EWS, jt. auth.
- Crosby E, Cleland M. An assessment of the luminance and light field characteristics of used direct laryngoscopes (technical report), 792
- Crosby ET, see Duffy PJ, jt. auth.
- Cruickshanks GF, Brown S, Chitayat D. Anesthesia for Freeman-Sheldon syndrome using a laryngeal mask airway (clinical report), 783
- Curran E, see Colbert ST, jt. auth.
- D**
- Dahaba AA, von Klobucar F, Rehak PH, List WF. Total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure (brief report), 696
- Daoust C, see Seear M, jt. auth.
- Dauphin A, see Kahn L, jt. auth.
- Davidson RG, see Schwarz SKW, jt. auth.
- Davies S. Amniotic fluid embolism and isolated disseminated intravascular coagulation (clinical report), 456
- de Beer JF, see Boezaart AP, jt. auth.
- De Negri P, see Ivani G, jt. auth.
- de Rossi L, Preußler N-P, Pühringer FK, Klein U. Onset of neuromuscular block at the masseter and adductor pollicis muscles following rocuronium or succinylcholine, 1133
- Delme MG, see Mühling J, jt. auth.
- DeLessio ST, see Arndt GA, jt. auth.
- Deloof T, see Deneu S, jt. auth.
- Denault AY, see Couture P, jt. auth.
- Deneu S, Coddens J, Deloof T. Catheter entrapment by atrial suture during minimally invasive port-access cardiac surgery (brief report), 983
- Dennehy KC, Dupuis J-Y, Nathan HJ, Wynands JE. Profound hypoxemia during treatment of low cardiac output after cardiopulmonary bypass (clinical report), 56
- D'Errico CC, see Munro HM, jt. auth.
- Devitt JH, Rapanos T, Kurrek M, Cohen MM, Shaw M. The anesthetic record: accuracy and completeness, 122
- Dhaliwal LK, see Rajeeva V, jt. auth.
- Di Lorenzo M, see Aubin P, jt. auth.
- Diab C, see Aouifi A, jt. auth.
- Dikmen B, see Durak Y, jt. auth.
- Dob DP, Shannon CN, Bailey PM. Efficacy and safety of the laryngeal mask airway vs Guedel airway following tracheal extubation (brief clinical report), 179
- Dolman J, see Ansley DM, jt. auth.
- see Frighetto L, jt. auth.
- Domergue J, see Mann C, jt. auth.
- Donati F, see Pinsonneault C, jt. auth.
- Donen N, King F, Reid D, Blackstock D. Canadian Anesthesia Physician Resources: 1996 and beyond (survey report), 962
- Douglas J, see Wilson D, jt. auth.
- Drolet P, see Bergeron L, jt. auth.
- du Toit C, see Boezaart AP, jt. auth.
- Duffy PJ, Crosby ET. The epidural blood patch. Resolving the controversies (review article), 878
- Duggan F, see Lydon A, jt. auth.
- see Lydon AM, jt. auth.
- Dupuis J-Y, see Dennehy KC, jt. auth.
- Durak Y, Öztürk HS, Dikmen B, Güven C, Çimen MYB, Büyükkocak S, Kaçmaz M, Avcı A. Isoflurane impairs antioxidant defence system in guinea pig kidney (laboratory investigation), 797

E

- Ebert TJ, see Lopatka CW, jt. auth.
- Edelist G, see Byrick RJ, jt. auth.
- Edmonds HL Jr, see Rodriguez RA, jt. auth.
- Einarsson S, Bengtsson A, Stenqvist O, Bengtson JP. Decreased respiratory depression during emergence from anesthesia with sevoflurane/N₂O than with sevoflurane alone, 335
- Eindhoven GB, see Evers KA, jt. auth.
- El-Beheiry H, see Manninen PH, jt. auth.
- see McGuire G, jt. auth.
- see Pollard BA, jt. auth.
- Eledjam J-J, see Aya AGM, jt. auth.
- Endo J, see Chin C, jt. auth.
- Engelard CG, Vanderwolf CH, Gelb AW. Rats show unimpaired learning within minutes after recovery from single bolus propofol anesthesia (laboratory investigation), 586
- Entwistle L, see Tsui BCH, jt. auth.
- Eschun GM, Jacobsohn E, Roberts D, Sneiderman B. Ethical and practical considerations of withdrawal of treatment in the Intensive Care Unit (medical ethics), 497
- Escobedo S, see Schwarz SKW, jt. auth.
- Eswaranathan V, see Koh KF, jt. auth.
- Evers KA, Eindhoven GB, Wierda JMKH. Transient nerve damage following intubation for trans-sphenoidal hypophysectomy (clinical report), 1143
- Ezri T, Ady N, Szumuk P, Glanz L, Shklar B, Katz J, Geva D. Use of cuffed oropharyngeal vs laryngeal mask airway in elderly patients, 363

F

- Fanelli G, see Casati A, jt. auth.
- Fellahi J-L, Valtier B, Beauchet A, Bourdarias J-P, Jardin F. Hemodynamic effects of medical antishock trousers during mechanical ventilation, 423
- Ferrer J-M, see Aya AGM, jt. auth.
- Fick G, see Yang T, jt. auth.
- Figueredo E, Vivar-Diogo M, Muñoz-Blanco F. Laryngo-pharyngeal complaints after use of the laryngeal mask airway, 220
- Finucane B, see Tsui BCH, jt. auth.
- Fortier J, see Pinsonneault C, jt. auth.
- Fowler C, see Vaghadia H, jt. auth.
- Franciosi LG, see Ries CR, jt. auth.
- see Schwarz SKW, jt. auth.
- Friesen RM, Raber MB, Reimer DH. Oxygen concentrators: a primary oxygen supply source (equipment report), 1185
- Frighetto L, Loewen PS, Dolman J, Marra CA. Cost-effectiveness of prophylactic dolasetron or droperidol vs rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients, 536
- Fujii Y, Saitoh Y, Takahashi S, Toyooka H. Combined diltiazem and lidocaine reduces cardiovascular responses to

tracheal extubation and anesthesia emergence in hypertensive patients, 952

- Saitoh Y, Tanaka H, Toyooka H. Ramosetron vs granisetron for the prevention of postoperative nausea and vomiting after laparoscopic cholecystectomy (brief report), 991
- see Takahashi S, jt. auth.
- Fujita N, see Obata H, jt. auth.
- Fujiwara Y, Komatsu T, Kimura T, Kawase M, Nishiwaki K, Shimada Y. Transfer function analysis of the circulation in patients undergoing sevoflurane anesthesia, 820
- Fukuda H, see Igarashi T, jt. auth.
- Fuse Y, see Obata H, jt. auth.

G

- Gaggero G, see Poblete B, jt. auth.
- Gagnon L, see Gravel NR, jt. auth.
- Gamulin Z, see Poblete B, jt. auth.
- Ganapathy S, see Vaghadia H, jt. auth.
- Garnett ME, see Ansley DM, jt. auth.
- Gelb AW, see Engelard CG, jt. auth.
- Georgieff M, see Schricker T, jt. auth.
- Georgoussis SE, see Littleford JA, jt. auth.
- Geva D, see Ezri T, jt. auth.
- Girard M, see Bergeron L, jt. auth.
- Glanz L, see Ezri T, jt. auth.
- Godin DV, see Ansley DM, jt. auth.
- Goldsmith C, see Kahn L, jt. auth.
- Goto F, see Kadoi Y, jt. auth.
- see Obata H, jt. auth.
- Goyagi T, Tanaka M, Nishikawa T. Oral clonidine premedication reduces induction dose and prolongs awakening time from propofol-nitrous oxide anesthesia (brief clinical report), 894
- Grant RP, see Au CL, jt. auth.
- Gravel NR, Searle NR, Taillefer J, Carrier M, Roy M, Gagnon L. Comparison of the hemodynamic effects of sevoflurane anesthesia induction and maintenance vs TIVA in CABG surgery, 240
- Gray C, Swinhoe CF, Myint T, Mason D. Target controlled infusion of ketamine as analgesia for TIVA with propofol, 957
- Gregório EA, see Barra Bisinotto FM, jt. auth.
- Grenier Y, see Bergeron L, jt. auth.
- Grimberg B, see Varkel V, jt. auth.
- Gross JB, see Suri R, jt. auth.
- Grundler S, Stacey MRW. Thyroplasty under general anesthesia using a laryngeal mask airway and fiberoptic bronchoscope (clinical report), 460
- Gupta S, see Tsui BCH, jt. auth.
- Güven C, see Durak Y, jt. auth.

H

- Ha VWS, see Cheam EWS, jt. auth.
- Haagenvik B, see McTiernan C, jt. auth.

- Hager WD, see *Suri R*, jt. auth.
Hahn RG, see *Svensen C*, jt. auth.
Haig M, see *Aubin P*, jt. auth.
Halpern S, see *Angle P*, jt. auth.
Halwani A, see *Collins L*, jt. auth.
Hanaoka K, see *Nishiyama T*, jt. auth.
Haneji T, see *Nakamura K*, jt. auth.
Hawkes CA. Fictitious halothane detection during trigger-free anesthesia in a malignant hyperthermia susceptible patient (clinical report), 567
Heid R, see *Wilson D*, jt. auth.
Hempelmann G, see *Mühlbing J*, jt. auth.
Henderson CL, see *Lavin PA*, jt. auth.
Higuchi A, see *Kamitani K*, jt. auth.
Hill GE, Anderson JL, Whitten CW. Ketamine inhibits agonist-induced cAMP accumulation increase in human airway smooth muscle cells (laboratory investigation), 1172
Hirabayashi Y, see *Igarashi T*, jt. auth.
Hirota K, see *Kubota T*, jt. auth.
Ho AM-H, Ling E. Contamination susceptibility of three needleless and one standard needle injection systems (equipment report), 290
Ho S-T, see *Chia Y-Y*, jt. auth.
Hölm L, see *Licker M*, jt. auth.
Hoka S, see *Okutomi T*, jt. auth.
Hokanson M, see *Watson NC*, jt. auth.
Hollander JE, see *Ochroch EA*, jt. auth.
Hollier LH, see *Moskowitz DM*, jt. auth.
Hooper J, Rosaeg OP, Krepski B, Johnson DH. Tourniquet inflation during arthroscopic knee ligament surgery does not increase postoperative pain, 925
Howard TK, see *Zimmerman AA*, jt. auth.
Huang C-J, Tsai M-C, Chen C-T, Cheng C-R, Wu K-H, Wei T-T. *In vitro* diffusion of lidocaine across endotracheal tube cuffs (equipment report), 82
Huang M-H, see *Pang W-W*, jt. auth.
Huddleston CB, see *Zimmerman AA*, jt. auth.
Hughes DA, see *Lowry DW*, jt. auth.
Hui H, see *Seear M*, jt. auth.
Hung OR, see *MacQuarrie K*, jt. auth.
Hurst TS, see *Miles D*, jt. auth.
- I**
Ichinohe T, see *Agata H*, jt. auth.
Ide M, see *Kadoi Y*, jt. auth.
Igarashi T, Hirabayashi Y, Shimizu R, Saitoh K, Fukuda H. The epidural structure changes during deep breathing, 850
Isalo E, see *Mattila-Vuori A*, jt. auth.
Ikeno S, Akazawa S, Shimizu R, Nakaigawa Y, Ishii R, Inoue S, Satoh M. Propofol does not affect the canine cardiac conduction system under autonomic blockade (laboratory report), 148
Imai Y, see *Murakami K*, jt. auth.
Inada T, Umemoto M, Obshima T, Sawada O, Nakamura Y. Anesthesia for insertion of a Dumon stent in a patient with a large tracheo-esophageal fistula (clinical report), 372
Inomata S, see *Takahashi S*, jt. auth.
Inoue S, see *Ikeno S*, jt. auth.
Irita K, see *Yamaura K*, jt. auth.
Ishihara H, see *Kudoh A*, jt. auth.
Ishii R, see *Ikeno S*, jt. auth.
Ishizaki K, see *Kadoi Y*, jt. auth.
- see *Obata H*, jt. auth.
Ishizuka S, see *Yamamoto K*, jt. auth.
Ito M, see *Kimura T*, jt. auth.
Ivani G, Lampugnani E, De Negri P, Lonnqvist P-A, Broadman L. Ropivacaine vs bupivacaine in major surgery in infants (brief report), 467
- J**
Jackson PA, see *Kahn L*, jt. auth.
Jacobsen E, see *Eschun GM*, jt. auth.
Jan GSK, see *Chan AMH*, jt. auth.
Jardin F, see *Fellahi J-L*, jt. auth.
Johnson DH, see *Hooper J*, jt. auth.
- see *Miles D*, jt. auth.
Jolly DT, see *Tsui BCH*, jt. auth.
Joseph P, see *Aouifi A*, jt. auth.
- K**
Kaçmaz M, see *Durak Y*, jt. auth.
Kadoi Y, Ide M, Saito S, Shiga T, Ishizaki K, Goto F. Hyperventilation after tourniquet deflation prevents an increase in cerebral blood flow velocity, 259
Kadoya T, see *Takenaka I*, jt. auth.
Kageyama T, see *Sano S*, jt. auth.
Kahn L, Baxter FJ, Dauphin A, Goldsmith C, Jackson PA, McChesney J, Miller JD, Takeuchi L, Young JEM. A comparison of thoracic and lumbar epidural techniques for post-thoracoabdominal esophagectomy analgesia, 415
Kahn RA, see *Moskowitz DM*, jt. auth.
Kakuyama M, Nakamura K, Mori K. Halothane decreases calcium sensitivity of rat aortic smooth muscle (laboratory investigation), 1164
Kamitani K, Higuchi A, Takebayashi T, Miyamoto Y, Yoshida H. Covering the head and face maintains intraoperative core temperature, 649
Kanbak M. The treatment of heparin resistance with Antithrombin III in cardiac surgery (clinical report), 581
Kaneko Y, see *Agata H*, jt. auth.
Kaneshina S, see *Sano S*, jt. auth.
Kanna T, see *Yamaura K*, jt. auth.
Karski JM, Mathieu M, Cheng D, Carroll J, Scott GJ. Etiology of preoperative anemia in patients undergoing scheduled cardiac surgery (brief report), 979

- Kashimoto S, see Nakamura T, jt. auth.
 Katz J, see Ezri T, jt. auth.
 Kawase M, see Fujiwara Y, jt. auth.
 Kawkabani N, see Baraka A, jt. auth.
 Kay J, see Rapanos T, jt. auth.
 Kay JC, see Byrick RJ, jt. auth.
 Keller C, Brimacombe J. The intubating laryngeal mask airway in fresh cadavers vs paralysed anesthetised patients (brief report), 1067
 - see Brimacombe J, jt. auth.
 Kido H, see Nakamura K, jt. auth.
 Kimura T, see Fujiwara Y, jt. auth.
 Kimura T, Ito M, Komatsu T, Nishiwaki K, Shimada Y.
 Heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension, 1110
 King F, see Donen N, jt. auth.
 Kinoshita H, see Sano S, jt. auth.
 Kirita T, see Murakami K, jt. auth.
 Kishi Y, see Murakami K, jt. auth.
 Kita T, see Murakami K, jt. auth.
 Kitajima T, see Yamaguchi S, jt. auth.
 Klein U, see de Rossi L, jt. auth.
 Kobayashi S, see Nakamura K, jt. auth.
 Kobayashi T, see Yamamoto K, jt. auth.
 Koh KF, Chen FG, Cheong KF, Esuvaranathan V. Laryngeal mask insertion using thiopental and low dose atracurium: a comparison with propofol, 670
 Komatsu T, see Fujiwara Y, jt. auth.
 - see Kimura T, jt. auth.
 Kong AS, see Chung DC, jt. auth.
 Koscielniak-Nielsen ZJ, Nielsen PR, Sørensen T, Stenør M.
 Low dose axillary block by targeted injections of the terminal nerves, 658
 Kranner PW, see Arndt GA, jt. auth.
 Krepeski B, see Hooper J, jt. auth.
 Krishnathas A, see Peng P, jt. auth.
 Kubota T, Anzawa N, Hirota K, Yoshida H, Kushikata T, Matsuki A. Effects of ketamine and pentobarbital on noradrenaline release from the medial prefrontal cortex in rats (laboratory investigation), 388
 Kudoh A, Ishihara H, Matsuki A. Response to surgical stress in elderly patients and Alzheimer's disease, 247
 Kumagai M, see Ahmed AAK, jt. auth.
 Kumazawa T, see Nakamura T, jt. auth.
 Kuo M-C, see Chia Y-Y, jt. auth.
 Kurata Y, see Ahmed AAK, jt. auth.
 Kurrek M, see Devitt JH, jt. auth.
 Kush S, see Ochroch EA, jt. auth.
 Kushikata T, see Kubota T, jt. auth.
- L**
 Laftermann R, see Schricker T, jt. auth.
 Lallier M, see Aubin P, jt. auth.
 Lam-McCulloch J, see Rapanos T, jt. auth.
- Lampugnani E, see Ivani G, jt. auth.
 Lauder GR, see Munro HM, jt. auth.
 Lavin PA, Henderson CL, Vaghadia H. Non-alkalinized and alkalinized 2-chloroprocaine vs lidocaine for intravenous regional anesthesia during outpatient hand surgery, 939
 Law JA, see MacQuarrie K, jt. auth.
 Le Truong HH, see Bergeron L, jt. auth.
 Lee HT, Levine M. Acute respiratory alkalosis associated with low minute ventilation in a patient with severe hypothyroidism (clinical anesthesia file), 185
 Lee MM-S, see Wong C-S, jt. auth.
 Lehot JJ, see Aouifi A, jt. auth.
 Leiderman JU, see Barst SM, jt. auth.
 Lerman J, see Chin C, jt. auth.
 Lessard MR, see Vézina D, jt. auth.
 Levine M, see Lee HT, jt. auth.
 Levitan RM, see Ochroch EA, jt. auth.
 Licker M, Schweizer A, Höhn L, Morel DR. Chronic angiotensin converting enzyme inhibition does not influence renal hemodynamic and function during cardiac surgery, 626
 Lin C-H, see Pang W-W, jt. auth.
 Ling E, see Ho AM-H, jt. auth.
 List WF, see Dababa AA, jt. auth.
 Littleford JA, Brockhurst NJ, Bernstein EP, Georgoussis SE.
 Obstetrical anesthesia for a parturient with a ventriculoperitoneal shunt and third ventriculostomy (obstetric forum), 1057
 Liu K, see Chia Y-Y, jt. auth.
 Loewen PS, see Frighetto L, jt. auth.
 Lonnqvist P-A, see Ivani G, jt. auth.
 Looi-Lyons L, see Chang L, jt. auth.
 Lopatka CW, Muzi M, Ebert TJ. Propofol, but not etomidate, reduces desflurane-mediated sympathetic activation in humans, 342
 Lowry DW, Mirakhor RK, Carroll MT, McCarthy GJ, Hughes DA, O'Hare RA. Potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia, 29
 Lui A, see Vaghadia H, jt. auth.
 Lui ACP, see Murto K, jt. auth.
 Lydon A, Murray C, McGinley J, Plant R, Duggan F, Shorten G. Cisapride does not alter gastric volume or pH in patients undergoing ambulatory surgery (brief report), 1181
 Lydon AM, Cooke T, Duggan F, Shorten GD. Delayed post-operative gastric emptying following intrathecal morphine and intrathecal bupivacaine, 544

M

- MacLeod BA, see Ries CR, jt. auth.
 - see Schwarz SKW, jt. auth.

- MacQuarrie K, Hung OR, Law JA. Tracheal intubation using a Bullard laryngoscope for patients with a simulated difficult airway, 760
- Maddern GJ, see Mouton WG, jt. auth.
- Mackawa T, see Yamaura K, jt. auth.
- Mainland P-A, see Chung DC, jt. auth.
- Malabarey T, see Naguib M, jt. auth.
- Malagon I, see Seear M, jt. auth.
- Maltby JR, see Watson NC, jt. auth.
- Mamiya K, Aono J, Manabe M. Complete atrioventricular block during anesthesia (clinical report), 265
- Mammoto T, see Murakami K, jt. auth.
- Manabe M, see Mamiya K, jt. auth.
- Mangin R, see Aya AGM, jt. auth.
- Mann C, Boccara G, Pouzeratte Y, Navarro F, Domergue J, Colson P. Monitorage hémodynamique par Doppler oesophagien lors de la cholécystectomie par coelioscopie, 15
- Manninen PH, Raman SK, Boyle K, El-Beheiry H. Early postoperative complications following neurosurgical procedures, 7
- Marin MI, see Moskowitz DM, jt. auth.
- Markowitz A, see Barst SM, jt. auth.
- Marra CA, see Frighetto L, jt. auth.
- Martins RHG, see Barra Bisinotto FM, jt. auth.
- Mashimo T, see Murakami K, jt. auth.
- Mason D, see Gray C, jt. auth.
- Mathieu M, see Karski JM, jt. auth.
- Matsuki A, see Kubota T, jt. auth.
- see Kudoh A, jt. auth.
- Matsumoto H, see Asai T, jt. auth.
- Mattila-Vuori A, Salo M, Iisalo E. Immune response in infants undergoing application of cast: comparison of halothane and balanced anesthesia, 1036
- Mayers I, see Miles D, jt. auth.
- McAdoo J, see Browne J, jt. auth.
- McCarroll M, see Colbert ST, jt. auth.
- McCarthy GJ, see Lowry DW, jt. auth.
- McChesney J, see Kahn L, jt. auth.
- McCrory CR, McShane AJ. Gastroesophageal reflux during spontaneous respiration with the laryngeal mask airway (brief report), 268
- McGinley J, see Lydon A, jt. auth.
- McGuire G, El-Beheiry H. Complete upper airway obstruction during awake fiberoptic intubation of patients with unstable cervical spine fractures (brief clinical report), 176
- Wong DT. Airway management: contents of a difficult intubation cart (equipment report), 190
- Mchaourab A, Sarantopoulos C, Stowe DF. Airway obstruction due to late-onset angioneurotic edema from angiotensin-converting enzyme inhibition (clinical report), 975
- McKenna J, see Vaghadia H, jt. auth.
- McShane AJ, see McCrory CR, jt. auth.
- McTiernan C, Haagenvik B. Strümpell's disease in a patient presenting for Cesarean section (clinical report), 679
- Meikle AT, see Parlow JL, jt. auth.
- Mennander S, see Viitanen H, jt. auth.
- Mezei G, see Chung F, jt. auth.
- Midorikawa Y, see Yamaguchi S, jt. auth.
- Miles D, Hurst TS, Saxena A, Mayers I, Johnson DH. Systemic thermal injury in anesthetized rabbits causes early pulmonary vascular injury that is not ablated by lazarets (laboratory report), 142
- Miller JD, see Kahn L, jt. auth.
- Milne A, Beamish T. Inhalational and local anesthetics reduce tactile and thermal responses in *mimosa pudica* (laboratory investigation), 287
- Milne B, see Parlow JL, jt. auth.
- see Patterson LJ, jt. auth.
- Minakawa M, see Okutomi T, jt. auth.
- Miniati A, see Peng P, jt. auth.
- Mirakhor RK, see Lowry DW, jt. auth.
- Mitmaker L, see Tesler MJ, jt. auth.
- Miyabe M, see Takahashi S, jt. auth.
- Miyamoto Y, see Kamitani K, jt. auth.
- Moffitt EA. History of Canadian Anesthesia, 1191
- Mok MS, see Pang W-W, jt. auth.
- Molloy ME, Buggy DJ, Scanlon P. Propofol or sevoflurane for laryngeal mask airway insertion, 322
- Money P, see Parlow JL, jt. auth.
- Moran R, see Colbert ST, jt. auth.
- Morel DR, see Licker M, jt. auth.
- Mori K, see Kakuyama M, jt. auth.
- Morikawa M, see Nakamura K, jt. auth.
- Morimoto H, see Nakamura K, jt. auth.
- Morimoto Y, see Nakamura K, jt. auth.
- Moskowitz DM, Kahn RA, Marin MI, Hollier LH. Intraoperative rupture of an abdominal aortic aneurysm during an endovascular stent-graft procedure (clinical report), 887
- Mouton WG, Pfizner J, Bessell JR, Maddern GJ. Bronchial anatomy and single-lung ventilation in the pig (brief report), 701
- Mowafi H, see Selim N, jt. auth.
- Mühling J, Delne MG, Sablowski A, Hempelmann G. Cerebral blood flow velocity during isovolemic hemodilution and subsequent autologous blood retransfusion, 550
- Mullen JB, see Byrick RJ, jt. auth.
- Muñoz-Blanco F, see Figueredo E, jt. auth.
- Munro HM, D'Errico CC, Lauder GR, Wagner DS, Voepel-Lewis T, Tait AR. Oral granisetron for strabismus surgery in children, 45

Murakami K, Mammoto T, Kita T, Imai Y, Mashimo T, Kirita T, Sugimura M, Kishi Y. Oral clonidine reduces the requirement of prostaglandin E1 for induced hypotension, 1043

Murphy P, see Rapanos T, jt. auth.

Murphy PM, see Byrick RJ, jt. auth.

Murray C, see Lydon A, jt. auth.

Murto K, Lui ACP, Cicutti N. Adding low dose meperidine to spinal lidocaine prolongs postoperative analgesia, 327

Muzi M, see Lopatka CW, jt. auth.

Myint Y, see Gray C, jt. auth.

N

Naguib M, Malabarey T, AlSattl RA, Al Damegh S, Samarkandi AH. Predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-dimensional computer imaging study, 748

Nakaigawa Y, see Ikeno S, jt. auth.

Nakajima Y, see Obata R, jt. auth.

Nakamura K, Kido H, Morimoto Y, Morimoto H, Kobayashi S, Morikawa M, Haneji T. Prilocaine induces apoptosis in osteoblastic cells (laboratory report), 476

- see Kakuyama M, jt. auth.

Nakamura T, Kashimoto S, Oguchi T, Kumazawa T.

Hydroxyl radical formation during inhalation anesthesia in the reperfused working rat heart (laboratory report), 470

Nakamura Y, see Inada T, jt. auth.

Nathan HJ, see Dennehy KC, jt. auth.

Navarro F, see Mann C, jt. auth.

Nevin K, see Schwarz SKW, jt. auth.

Ng KFJ, see Chan AMH, jt. auth.

Ngan Kee WD, see Chan F, jt. auth.

Nielsen PR, see Koscielniak-Nielsen ZJ, jt. auth.

Nishikawa T, see Goyagi T, jt. auth.

Nishiwaki K, see Fujiwara Y, jt. auth.

- see Kimura T, jt. auth.

Nishiyama T, Hanaoka K. Gas embolism during hysteroscopy (brief clinical report), 379

Norris A, see Bhardwaj D, jt. auth.

O

Obata H, Saito S, Fujita N, Fuse Y, Ishizaki K, Goto F.

Epidural block with mepivacaine before surgery reduces long-term post-thoracotomy pain, 1127

Obata R, Yasumi Y, Suzuki A, Nakajima Y, Sato S.

Rhabdomyolysis in association with Duchenne's muscular dystrophy (clinical report), 564

Ochroch EA, Hollander JE, Kush S, Shofer FS, Levitan RM.

Assessment of laryngeal view: percentage of glottic opening score vs Cormack and Lehane grading (brief report), 987

Ogli K, see Sano S, jt. auth.

Oguchi T, see Nakamura T, jt. auth.

O'Hanlon DM, see Colbert ST, jt. auth.

O'Hare RA, see Lowry DW, jt. auth.

Ohmura S, see Yamamoto K, jt. auth.

Obshima T, see Inada T, jt. auth.

Okamoto H, see Yamaura K, jt. auth.

Oku T, see Yokoyama K, jt. auth.

Okuda Y, see Yamaguchi S, jt. auth.

Okutomi T, Hoka S. Saline - anesthetic interval and the spread of epidural anesthesia, 935

- Minakawa M, Hoka S. Saline volume and local anesthetic concentration modify the spread of epidural anesthesia, 930

Ong BC, see Tay SM, jt. auth.

Otake T, see Ahmed AAK, jt. auth.

Östürk HS, see Durak Y, jt. auth.

P

Pang W-W, Mok MS, Lin C-H, Yang T-F, Huang M-H.

Comparison of patient-controlled analgesia (PCA) with tramadol or morphine, 1030

Parlow JL, Meikle AT, van Vlymen J, Avery N. Post discharge nausea and vomiting after ambulatory laparoscopy is not reduced by promethazine prophylaxis, 719

Parlow JL, Money P, Chan PSL, Raymond J, Milne B.

Addition of opioids alters the density and spread of intrathecal local anesthetics? An *in vitro* study (laboratory report), 66

Patterson LJ, Milne B. Latex anaphylaxis causing heart block: role of ranitidine (clinical report), 776

Peng P, Claxton A, Chung F, Chan V, Miniaci A,

Krishmathas A. Femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction, 919

- see Bhardwaj D, jt. auth.

Pfützner J, see Mouton WG, jt. auth.

Pinsonneault C, Fortier J, Donati F. Tracheal resection and reconstruction (review article), 439

Pirion V, see Aouifi A, jt. auth.

Plant R, see Browne J, jt. auth.

- see Lydon A, jt. auth.

Poblete B, Van Gessel EF, Gaggero G, Gamulin Z. Efficacy of three test doses to detect epidural catheter misplacement, 34

Poist ES, see Suri R, jt. auth.

Poliac MO, see Belani KG, jt. auth.

Pollard BA, El-Beheiry H. Pott's disease with unstable cervical spine, retropharyngeal cold abscess and progressive airway obstruction (clinical report), 772

Ponzer S, see Svensén C, jt. auth.

Porayko LD, Butler R. Perioperative resuscitation knowledge base, 529

Pouzeratte Y, see Mann C, jt. auth.

Préaux N, see *Benhamou D*, jt. auth.

Preckel B, *Thämer V*, *Schlack W*. Beneficial effects of sevoflurane and desflurane against myocardial reperfusion injury after cardioplegic arrest (laboratory investigation), 1076

Preußler N-P, see *de Rossi L*, jt. auth.

Pruner MM, see *Burt N*, jt. auth.

Pühringer FK, see *de Rossi L*, jt. auth.

Q

Qayumi AK, see *Ansley DM*, jt. auth.

R

Raber MB, see *Friesen RM*, jt. auth.

Rajeeva V, *Bhardwaj N*, *Batra YK*, *Dhaliwal LK*.

Comparison of ondansetron with ondansetron and dexamethasone in prevention of PONV in diagnostic laparoscopy, 40

Raman SK, see *Manninen PH*, jt. auth.

Ramanathan S, see *Roy L*, jt. auth.

Rapanos T, see *Devitt JH*, jt. auth.

Rapanos T, *Murphy P*, *Szalai JP*, *Burlacoff L*, *Lam-McCulloch J*, *Kay J*. Rectal indomethacin reduces postoperative pain and morphine use after cardiac surgery, 725

Ravussin P, see *Bissonnette B*, jt. auth.

Raymond J, see *Parlow JL*, jt. auth.

Regan WD, see *Schwarz SKW*, jt. auth.

Rehak PH, see *Dababa AA*, jt. auth.

Rehman M, see *Choudhry DK*, jt. auth.

Reid D, see *Donen N*, jt. auth.

Reimer DH, see *Friesen RM*, jt. auth.

Richardson MG, see *Bédard JM*, jt. auth.

Ries CR, *Azmudéh A*, *Franciosi LG*, *Schwarz SKW*, *MacLeod BA*. Cost comparison of sevoflurane with isoflurane anesthesia in arthroscopic meniscectomy surgery, 1008

- see *Schwarz SKW*, jt. auth.

Robert C, see *Aya AGM*, jt. auth.

Roberts D, see *Eschun GM*, jt. auth.

Rodriguez RA, *Edmonds HL Jr*, *Auden SM*, *Austin EH III*. Auditory brainstem evoked responses and temperature monitoring during pediatric cardiopulmonary bypass, 832

Rosaeg OP, see *Hooper J*, jt. auth.

Rosen AM, see *Barst SM*, jt. auth.

Roy L, *Ramanathan S*. ST-segment depression and myocardial contractility during cesarean section under spinal anesthesia (brief report), 52

Roy M, see *Gravel NR*, jt. auth.

Ruban P, see *Sia AT-H*, jt. auth.

Ruel M, see *Couture P*, jt. auth.

Rurak D, see *Wilson D*, jt. auth.

S

Sablotzki A, see *Mühling J*, jt. auth.

Said R, see *Varkel V*, jt. auth.

Saito S, see *Kadoi Y*, jt. auth.

- see *Obata H*, jt. auth.

Saitoh K, see *Igarashi T*, jt. auth.

Saitoh Y, see *Fujii Y*, jt. auth.

Salo M, see *Mattila-Vuori A*, jt. auth.

Samarkandi AH, see *Naguib M*, jt. auth.

Sano S, *Yokono S*, *Kinoshita H*, *Ogik K*, *Satake H*, *Kageyama T*, *Kaneshina S*. Intra-axonal continuous measurement of lidocaine concentration and pH in squid giant axon (laboratory investigation), 1156

Sarantopoulos C, see *Mchaourab A*, jt. auth.

Sata T, see *Takenaka I*, jt. auth.

Satake H, see *Sano S*, jt. auth.

Sato S, see *Obata R*, jt. auth.

Satoh M, see *Ikeno S*, jt. auth.

Sawada O, see *Inada T*, jt. auth.

Saxena A, see *Miles D*, jt. auth.

Scanlon P, see *Molloy ME*, jt. auth.

Schlack W, see *Preckel B*, jt. auth.

Schreiber M, see *Schricker T*, jt. auth.

Schricker T, *Carli F*, *Schreiber M*, *Laftermann R*, *Georgieff M*. Time of peritoneal cavity exposure influences postoperative glucose production, 352

Schwartz RE, see *Choudhry DK*, jt. auth.

Schwarz SKW, *Franciosi LG*, *Ries CR*, *Regan WD*, *Davidson RG*, *Nevin K*, *Escobedo S*, *MacLeod BA*. Addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery, 741

- see *Ries CR*, jt. auth.

Schweizer A, see *Licker M*, jt. auth.

Scott GJ, see *Karski JM*, jt. auth.

Seal R, see *Tsui BCH*, jt. auth.

Searle NR, see *Gravel NR*, jt. auth.

Seear M, *Malagon I*, *Hui H*, *Alexander J*, *Daoust C*, *Skippen P*. Evaluation of a mathematical model to predict intrapulmonary shunt non-invasively (laboratory report), 483

Self DD, *Bryson GL*, *Sullivan PJ*. Risk factors for post-carotid endarterectomy hematoma formation, 635

Selim N, *Mowafi H*, *Al-Ghamdi A*, *Adu-Gyamfi Y*. Intubation via LMA in pediatric patients with difficult airways (brief clinical report), 891

Sfeir M, see *Siddik-Sayyid S*, jt. auth.

Shannon CN, see *Dob DP*, jt. auth.

Shaw M, see *Devitt JH*, jt. auth.

Shelly MP, see *Smith AF*, jt. auth.

Shevchenko Y, see *Choudhry DK*, jt. auth.

Shiga T, see *Kadoi Y*, jt. auth.

Shigematsu A, see *Takenaka I*, jt. auth.

Shimada Y, see *Fujiwara Y*, jt. auth.

- see *Kimura T*, jt. auth.

Shimizu R, see *Igarashi T*, jt. auth.

- see *Ikeno S*, jt. auth.

Shingu K, see *Asai T*, jt. auth.

- Shklar B, see Ezri T, jt. auth.
- Shofer FS, see Ochroch EA, jt. auth.
- Shorten G, see Browne J, jt. auth.
- see Lydon A, jt. auth.
- Shorten GD, see Lydon AM, jt. auth.
- Shulman GB, Connelly NR. Double lumen tube placement with the Bullard laryngoscope, 232
- Sia AT-H, Ruban P, Chong JL, Wong K. Motor blockade is reduced with ropivacaine 0.125% for parturient-controlled epidural analgesia during labour, 1019
- Siddik S, see Baraka A, jt. auth.
- Siddik-Sayyid S, Aouad-Maroun M, Sleiman D, Sfeir M, Baraka A. Epidural tramadol for postoperative pain after Cesarean section, 731
- Simon K, see Varkel V, jt. auth.
- Skippen P, see Secar M, jt. auth.
- Sleiman D, see Siddik-Sayyid S, jt. auth.
- Sloan P, see Basta M, jt. auth.
- Smith AF, Shelly MP. Communication skills for anesthesiologists (medical opinion), 1082
- Sniderman B, see Eschun GM, jt. auth.
- Sørensen T, see Koscielniak-Nielsen ZJ, jt. auth.
- Soudry M, see Varkel V, jt. auth.
- Stacey MRW, see Grundler S, jt. auth.
- Stayer SA, see Chondhry DK, jt. auth.
- Stenor M, see Koscielniak-Nielsen ZJ, jt. auth.
- Stenqvist O, see Einarsson S, jt. auth.
- Stewart TE, see Byrick RJ, jt. auth.
- Stowe DF, see Mchaourab A, jt. auth.
- Sugimura M, see Murakami K, jt. auth.
- Sullivan M. Unilateral negative pressure pulmonary edema during anesthesia with a laryngeal mask airway (clinical report), 1053
- Sullivan PJ, see Self DD, jt. auth.
- Sun J, see Ansley DM, jt. auth.
- Suri R, Poist ES, Hager WD, Gross JB. Unrecognized bulimia nervosa: a potential cause of perioperative cardiac dysrhythmias (clinical report), 1048
- Suzuki A, see Obata R, jt. auth.
- Svensén C, Ponzer S, Hahn RG. Volume kinetics of Ringer solution after surgery for hip fracture, 133
- Swan H, see Bissonnette B, jt. auth.
- Swinhoe CF, see Gray C, jt. auth.
- Szalai JP, see Rapanos T, jt. auth.
- Szmuk P, see Ezri T, jt. auth.
- T**
- Taillefer J, see Gravel NR, jt. auth.
- Tait AR, see Munro HM, jt. auth.
- Takahashi S, Fujii Y, Inomata S, Miyabe M, Toyooka H. Landiolol decreases a dysrhythmogenic dose of epinephrine in dogs during halothane anesthesia (laboratory investigation), 599
- Tanaka M. Reduced efficacy of simulated epidural test doses in sevoflurane-anesthetized adults, 433
- see Fujii Y, jt. auth.
- see Yamaura K, jt. auth.
- Takebayashi T, see Kamitani K, jt. auth.
- Takenaka I, Aoyama K, Kadota T, Sata T, Shigematsu A. Fiberoptic assessment of laryngeal aperture in patients with difficult laryngoscopy, 226
- Takeuchi L, see Kahn L, jt. auth.
- Tan SA, see Tay SM, jt. auth.
- Tanaka H, see Fujii Y, jt. auth.
- Tanaka M, see Goyagi T, jt. auth.
- see Takahashi S, jt. auth.
- Tao P-H, see Wong C-S, jt. auth.
- Tarkkila P, see Viitanen H, jt. auth.
- Tay SM, Ong BC, Tan SA. Cesarean section in a mother with uncorrected congenital coronary to pulmonary artery fistula (clinical report), 368
- Tessler MJ, Mitmaker L, Wahba RM, Covert CR. Patient flow in the Post Anesthesia Care Unit: an observational study, 348
- Thämer V, see Preckel B, jt. auth.
- Thompson D, see Angle P, jt. auth.
- Tindal S, see Chang L, jt. auth.
- Todesco JM, see Watson NC, jt. auth.
- Tong D, see Chung F, jt. auth.
- Tong EWN, see Chan AMH, jt. auth.
- Torri G, see Casati A, jt. auth.
- Toyooka H, see Fujii Y, jt. auth.
- see Takahashi S, jt. auth.
- Trépanier CA, see Vézina D, jt. auth.
- Tsai M-C, see Huang C-J, jt. auth.
- Tsubokawa T, see Yamamoto K, jt. auth.
- Tsui BCH, Gupta S, Finucane B. Detection of subarachnoid and intravascular epidural catheter placement (clinical report), 675
- Jolly DT, Clanachan AS. Estimation of desflurane concentration using isoflurane channel in optical infrared analyzer (equipment report), 192
- Seal R, Entwistle. Thoracic epidural analgesia via the caudal approach using nerve stimulation in an infant with CATCH22 (clinical report), 1138
- U**
- Umemoto M, see Inada T, jt. auth.
- Un V, see Bissonnette B, jt. auth.
- V**
- Vaghadia H, Chan V, Ganapathy S, Lui A, McKenna J, Zimmer K. A multicentre trial of ropivacaine 7.5 mg·ml⁻¹ vs bupivacaine 5 mg·ml⁻¹ for supra clavicular brachial plexus anesthesia, 946
- Fowler C. Can nurses screen all outpatients? Performance of a nurse based model, 1117

- Vaghadia H.* (continued)
 - see *Collins L*, jt. auth.
 - see *Lavin PA*, jt. auth.
Valtier B, see *Fellahi J-L*, jt. auth.
Van Gessel EF, see *Poblete B*, jt. auth.
van Rooyen K, see *Boezaart AP*, jt. auth.
van Vlymen J, see *Parlow JL*, jt. auth.
Vanderwolf CH, see *Engeland CG*, jt. auth.
Varkel V, *Volpin G*, *Ben-David B*, *Said R*, *Grimberg B*, *Simon K*, *Soudry M*. Intraarticular fentanyl compared with morphine for pain relief following arthroscopic knee surgery, 867
Vézina D, *Trépanier CA*, *Lessard MR*, *Bussi res J*. Esophageal and tracheal distortion by the Esophageal-Tracheal Combitube: a cadaver study (laboratory investigation), 393
Viitanen H, *Annila P*, *Viitanen M*, *Yli-Hankala A*. Midazolam premedication delays recovery from propofol-induced sevoflurane anesthesia in children 1-3 yr, 766
 - *Turkkila P*, *Mennander S*, *Viitanen M*, *Annila P*. Sevoflurane-maintained anesthesia induced with propofol or sevoflurane in small children: induction and recovery characteristics, 21
Viitanen M, see *Viitanen H*, jt. auth.
Villard J, see *Aouifi A*, jt. auth.
Villeneuve E, see *Aubin P*, jt. auth.
Vischoff D, see *Aubin P*, jt. auth.
Visser WA, see *Ansley DM*, jt. auth.
Vivar-Diogo M, see *Figueredo E*, jt. auth.
Voepel-Lewis T, see *Munro HM*, jt. auth.
Volpin G, see *Varkel V*, jt. auth.
von Klobucar F, see *Dahaba AA*, jt. auth.
- W**
Wagner DS, see *Munro HM*, jt. auth.
Wabba RM, see *Tessler MJ*, jt. auth.
Wang J-J, see *Chia Y-Y*, jt. auth.
Wang XW, see *Antognini JE*, jt. auth.
Watson NC, *Hokanson M*, *Maltby JR*, *Todesco JM*. The intubating laryngeal mask airway in failed fiberoptic intubation (brief clinical report), 376
Wecks S, see *Bandi E*, jt. auth.
Wei T-T, see *Huang C-J*, jt. auth.
White SA, see *Au CL*, jt. auth.
Whitten CW, see *Hill GE*, jt. auth.
Wierda JMKH, see *Evers KA*, jt. auth.
Williams AR, see *Burt N*, jt. auth.
Wilson D, *Douglas J*, *Heid R*, *Rurak D*. Preoperative dextrose does not affect spinal-induced hypotension in elective Cesarean section, 1024
Wilson DB, see *Angle P*, jt. auth.
Wissler RN, see *B dard JM*, jt. auth.
Wong C-S, *Wu C-T*, *Yu J-C*, *Yeh C-C*, *Lee MM-S*, *Tao P-H*. Preincisional dextromethorphan decreases postoperative pain and opioid requirement after modified radical mastectomy, 1122
Wong DT, see *Bhardwaj D*, jt. auth.
 - see *McGuire G*, jt. auth.
Wong K, see *Sia AT-H*, jt. auth.
Wu C-T, see *Wong C-S*, jt. auth.
Wu K-H, see *Huang C-J*, jt. auth.
Wymands JE, see *Dennehy KC*, jt. auth.
- Y**
Yagi T, see *Yamamoto K*, jt. auth.
Yamaguchi S, *Midorikawa Y*, *Okuda Y*, *Kitajima T*. Propofol prevents delayed neuronal death following transient forebrain ischemia in gerbils (laboratory investigation), 593
Yamamoto K, *Tsubokawa T*, *Yagi T*, *Ishizuka S*, *Ohmura S*, *Kobayashi T*. The influence of hypoxia and hyperoxia on the kinetics of propofol emulsion (laboratory investigation), 1150
Yamaura K, *Okamoto H*, *Mackawa T*, *Kanna T*, *Irita K*, *Takahashi S*. Detection of retroperitoneal hemorrhage by transesophageal echocardiography during cardiac surgery (clinical report), 169
Yang T, *Breen TW*, *Archer D*, *Fick G*. Comparison of 0.25 mg and 0.1 mg intrathecal morphine for analgesia after Cesarean section, 856
Yang T-F, see *Pang W-W*, jt. auth.
Yap JCM, see *Cheam EWS*, jt. auth.
Yasumi Y, see *Obata R*, jt. auth.
Yeh C-C, see *Wong C-S*, jt. auth.
Yli-Hankala A, see *Viitanen H*, jt. auth.
Yokono S, see *Sano S*, jt. auth.
Yokoyama K, *Oku T*. Rheumatoid arthritis-affected temporomandibular joint pain analgesia by linear polarized near infrared irradiation (clinical report), 683
Yoshida H, see *Kamitani K*, jt. auth.
 - see *Kubota T*, jt. auth.
Young JEM, see *Kahn L*, jt. auth.
Yu J-C, see *Wong C-S*, jt. auth.
- Z**
Zerrouk N, see *Benhamou D*, jt. auth.
Zimmer K, see *Vaghadia H*, jt. auth.
Zimmerman AA, *Howard TK*, *Huddleston CB*. Combined lung and liver transplantation in a girl with cystic fibrosis (clinical report), 571



Canadian Journal of Anesthesia

Index of Subjects

Volume 46, December 1999

Note: Entries are reports of investigation unless otherwise indicated. Abstracts and refresher course outlines in the May *Annual Meeting Supplement* are not included in this index.

A

Acid base

- acute respiratory alkalosis associated with low minute ventilation in a patient with severe hypothyroidism: clinical anesthesia file (Lee and Levine), 185

Age factors

- adverse events in ambulatory surgery. A comparison between elderly and younger patients (Chung *et al*), 309
- response to surgical stress in elderly patients and Alzheimer's disease (Kudoh *et al*), 247
- use of cuffed oropharyngeal *vs* laryngeal mask airway in elderly patients (Ezri *et al*), 363
- volume kinetics of Ringer solution after surgery for hip fracture (Svensén *et al*), 133

Airway

- *see also* Anesthesia, Trachea, surgery of; Extubation, tracheal; Intubation, tracheal

Anatomy

- bronchial anatomy and single-lung ventilation in the pig: brief report (Mouton *et al*), 701
- esophageal and tracheal distortion by the Esophageal-Tracheal Combitube - a cadaver study: laboratory investigation (Vézina *et al*), 393
- predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-dimensional computer imaging study (Naguib *et al*), 748

Assessment

- assessment of laryngeal view: percentage of glottic opening score *vs* Cormack and Lehane grading: brief report (Ochroch *et al*), 987

Difficult

- airway management: contents of a difficult intubation cart: equipment report (McGuire and Wong), 190
- anesthesia for Freeman-Sheldon syndrome using a laryngeal mask airway: clinical report (Cruickshanks *et al*), 783
- fiberoptic assessment of laryngeal aperture in patients with difficult laryngoscopy (Takenaka *et al*), 226

- intubating laryngeal mask airway in failed fiberoptic intubation: brief clinical report (Watson *et al*), 376
- intubation via LMA in pediatric patients with difficult airways: brief clinical report (Selim *et al*), 891
- tracheal intubation using a Bullard laryngoscope for patients with a simulated difficult airway (MacQuarrie *et al*), 760
- wire-guided endobronchial blockade in a patient with a limited mouth opening: equipment report (Arndt *et al*), 87

Management

- airway management: contents of a difficult intubation cart: equipment report (McGuire and Wong), 190
- airway management of a child after tracheal resection: brief report (Burt *et al*), 1178
- anesthesia for Freeman-Sheldon syndrome using a laryngeal mask airway: clinical report (Cruickshanks *et al*), 783
- intubation via LMA in pediatric patients with difficult airways: brief clinical report (Selim *et al*), 891

Obstruction

- airway obstruction due to late-onset angioneurotic edema from angiotensin-converting enzyme inhibition: clinical report (Mchaourab *et al*), 975
- complete upper airway obstruction during awake fiberoptic intubation of patients with unstable cervical spine fractures: brief clinical report (McGuire and El-Beheiry), 176
- Pott's disease with unstable cervical spine, retropharyngeal cold abscess and progressive airway obstruction: clinical report (Pollard and El-Beheiry), 772
- tracheal resection and reconstruction: review article (Pinsonneault *et al*), 439
- unilateral negative pressure pulmonary edema during anesthesia with a laryngeal mask airway: clinical report (Sullivan), 1053

Alfentanil, *see under* Analgesics

Allergies

- latex anaphylaxis causing heart block: role of ranitidine: clinical report (Patterson and Milne), 776

Alzheimer's disease, *see under* Complications

Ambulatory surgery, *see* Anesthesia, Ambulatory surgery

Amethocaine, *see under* Anesthetics, local

Amrinone, *see under* Pharmacology

Analgesia

Epidural

- anesthetic management of living liver donors: brief report (Choudhry *et al*), 788
- comparison of thoracic and lumbar epidural techniques for post-thoracoabdominal esophagectomy analgesia (Kahn *et al*), 415
- epidural tramadol for postoperative pain after Cesarean section (Siddik-Sayyid *et al*), 731
- motor blockade is reduced with ropivacaine 0.125% for parturient-controlled epidural analgesia during labour (Sia *et al*), 1019

Near infrared laser

- rheumatoid arthritis-affected temporomandibular joint pain analgesia by linear polarized near infrared irradiation: clinical report (Yokoyama and Oku), 683

Patient-controlled

- addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery (Schwarz *et al*), 741
- comparison of patient-controlled analgesia (PCA) with tramadol or morphine (Pang *et al*), 1030
- intraoperative high dose fentanyl induces postoperative fentanyl tolerance (Chia *et al*), 872
- motor blockade is reduced with ropivacaine 0.125% for parturient-controlled epidural analgesia during labour (Sia *et al*), 1019
- rectal indomethacin reduces postoperative pain and morphine use after cardiac surgery (Rapanos *et al*), 725

Postoperative

- adding low dose meperidine to spinal lidocaine prolongs postoperative analgesia (Murto *et al*), 327
- addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery (Schwarz *et al*), 741
- audit of ketoprofen prescribing after orthopedic and general surgery (Benhamou *et al*), 109
- comparison of patient-controlled analgesia (PCA) with tramadol or morphine (Pang *et al*), 1030
- comparison of thoracic and lumbar epidural techniques for post-thoracoabdominal esophagecto-

my analgesia (Kahn *et al*), 415

- epidural block with mepivacaine before surgery reduces long-term post-thoracotomy pain (Obata *et al*), 1127
- epidural tramadol for postoperative pain after Cesarean section (Siddik-Sayyid *et al*), 731
- intraarticular fentanyl compared with morphine for pain relief following arthroscopic knee surgery (Varkel *et al*), 867
- intra-articular tenoxicam improves postoperative analgesia in knee arthroscopy (Colbert *et al*), 653
- intraoperative high dose fentanyl induces postoperative fentanyl tolerance (Chia *et al*), 872
- preincisional dextromethorphan decreases postoperative pain and opioid requirement after modified radical mastectomy (Wong *et al*), 1122
- ropivacaine *vs* bupivacaine in major surgery in infants: brief report (Ivani *et al*), 467

Pre-emptive

- epidural block with mepivacaine before surgery reduces long-term post-thoracotomy pain (Obata *et al*), 1127
- preincisional dextromethorphan decreases postoperative pain and opioid requirement after modified radical mastectomy (Wong *et al*), 1122
- rectal indomethacin reduces postoperative pain and morphine use after cardiac surgery (Rapanos *et al*), 725

Regional

- impact of a regional anesthesia analgesia program for outpatient foot surgery (Collins *et al*), 840

Analgesics

Alfentanil

- neuroleptanesthesia - current status: review article (Bissonnette *et al*), 154

Dextromethorphan

- preincisional dextromethorphan decreases postoperative pain and opioid requirement after modified radical mastectomy (Wong *et al*), 1122

Fentanyl

- intraarticular fentanyl compared with morphine for pain relief following arthroscopic knee surgery (Varkel *et al*), 867
- intraoperative high dose fentanyl induces postoperative fentanyl tolerance (Chia *et al*), 872
- neuroleptanesthesia - current status: review article (Bissonnette *et al*), 154

Indomethacin

- rectal indomethacin reduces postoperative pain and morphine use after cardiac surgery (Rapanos *et al*), 725

Ketoprofen

- audit of ketoprofen prescribing after orthopedic and general surgery (Benhamou *et al*), 109

Ketorolac

- femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction (Peng *et al*), 919

Meperidine

- adding low dose meperidine to spinal lidocaine prolongs postoperative analgesia (Murto *et al*), 327
- preincisional dextromethorphan decreases postoperative pain and opioid requirement after modified radical mastectomy (Wong *et al*), 1122

Morphine

- addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery (Schwarz *et al*), 741
- comparison of 0.25 mg and 0.1 mg intrathecal morphine for analgesia after Cesarean section (Yang *et al*), 856
- comparison of patient-controlled analgesia (PCA) with tramadol or morphine (Pang *et al*), 1030
- delayed postoperative gastric emptying following intrathecal morphine and intrathecal bupivacaine (Lydon *et al*), 544
- femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction (Peng *et al*), 919
- intraarticular fentanyl compared with morphine for pain relief following arthroscopic knee surgery (Varkel *et al*), 867
- rectal indomethacin reduces postoperative pain and morphine use after cardiac surgery (Rapanos *et al*), 725

NSAIDs

- audit of ketoprofen prescribing after orthopedic and general surgery (Benhamou *et al*), 109
- intra-articular tenoxicam improves postoperative analgesia in knee arthroscopy (Colbert *et al*), 653

Opioids

- addition of opioids alters the density and spread of intrathecal local anesthetics? An *in vitro* study: laboratory report (Parlow *et al*), 66

- general anesthesia with remifentanyl for Cesarean section in a parturient with an acoustic neuroma: clinical report (Bédard *et al*), 576
- preincisional dextromethorphan decreases postoperative pain and opioid requirement after modified radical mastectomy (Wong *et al*), 1122
- rectal indomethacin reduces postoperative pain and morphine use after cardiac surgery (Rapanos *et al*), 725
- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

Remifentanyl

- general anesthesia with remifentanyl for Cesarean section in a parturient with an acoustic neuroma: clinical report (Bédard *et al*), 576
- neuroleptanesthesia - current status: review article (Bissonnette *et al*), 154
- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

Sufentanil

- neuroleptanesthesia - current status: review article (Bissonnette *et al*), 154

Tenoxicam

- intra-articular tenoxicam improves postoperative analgesia in knee arthroscopy (Colbert *et al*), 653

Tramadol

- comparison of patient-controlled analgesia (PCA) with tramadol or morphine (Pang *et al*), 1030
- control of shivering under regional anesthesia in obstetric patients with tramadol (Chan *et al*), 253
- epidural tramadol for postoperative pain after Cesarean section (Siddik-Sayyid *et al*), 731

Anaphylaxis

- latex anaphylaxis causing heart block: role of ranitidine: clinical report (Patterson and Milne), 776

Anatomy**Airway**

- bronchial anatomy and single-lung ventilation in the pig: brief report (Mouton *et al*), 701
- esophageal and tracheal distortion by the Esophageal-Tracheal Comb tube - a cadaver study: laboratory investigation (Vézina *et al*), 393
- predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-dimensional computer imaging study (Naguib *et al*), 748

Anatomy (continued)**Epidural space**

- epidural structure changes during deep breathing (Igarashi *et al*), 850

Anemia, see under Blood**Anesthesia**

- see also *Costs, Pharmacoeconomics; Complications*

Ambulatory surgery

- adverse events in ambulatory surgery. A comparison between elderly and younger patients (Chung *et al*), 309
- can nurses screen all outpatients? Performance of a nurse based model (Vaghadia and Fowler), 1117
- cisapride does not alter gastric volume or pH in patients undergoing ambulatory surgery: brief report (Lydon *et al*), 1181
- comparison of ondansetron with ondansetron and dexamethasone in prevention of PONV in diagnostic laparoscopy (Rajeeva *et al*), 40
- cost-effectiveness of prophylactic dolasetron or droperidol *vs* rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536
- femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction (Peng *et al*), 919
- impact of a regional anesthesia analgesia program for outpatient foot surgery (Collins *et al*), 840
- intra-articular tenoxicam improves postoperative analgesia in knee arthroscopy (Colbert *et al*), 653
- post discharge nausea and vomiting after ambulatory laparoscopy is not reduced by promethazine prophylaxis (Parlow *et al*), 719

Cardiac surgery

- see also *Ischemia, Myocardial*
- catheter entrapment by atrial suture during minimally invasive port-access cardiac surgery: brief report (Deneu *et al*), 983
- chronic angiotensin converting enzyme inhibition does not influence renal hemodynamic and function during cardiac surgery (Licker *et al*), 626
- complications digestives sévères après chirurgie cardiaque sous circulation extracorporelle (Aouifi *et al*), 114
- detection of retroperitoneal hemorrhage by transesophageal echocardiography during cardiac surgery: clinical report (Yamaura *et al*), 169

- etiology of preoperative anemia in patients undergoing scheduled cardiac surgery: brief report (Karski *et al*), 979
- rectal indomethacin reduces postoperative pain and morphine use after cardiac surgery (Rapanos *et al*), 725
- treatment of heparin resistance with Antithrombin III in cardiac surgery: clinical report (Kanbak), 581

Cardiopulmonary bypass

- auditory brainstem evoked responses and temperature monitoring during pediatric cardiopulmonary bypass (Rodriguez *et al*), 832
- high dose propofol enhances red cell antioxidant capacity during CPB in humans (Ansley *et al*), 641
- profound hypoxemia during treatment of low cardiac output after cardiopulmonary bypass: clinical report (Dennehy *et al*), 56

Coronary artery bypass

- anesthetic modulation of myocardial ischemia and reperfusion injury in pigs: comparison between halothane and sevoflurane: laboratory report (Conradie *et al*), 71
- comparison of the hemodynamic effects of sevoflurane anesthesia induction and maintenance *vs* TIVA in CABG surgery (Gravel *et al*), 240
- complications digestives sévères après chirurgie cardiaque sous circulation extracorporelle (Aouifi *et al*), 114
- intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography (Couture *et al*), 827

Dental surgery

- felypressin-induced reduction in coronary blood flow and myocardial tissue oxygen tension during anesthesia in dogs: laboratory investigation (Agata *et al*), 1070

Electroconvulsive therapy

- low dose mivacurium is less effective than succinylcholine in electroconvulsive therapy: brief report (Cheam *et al*), 49

Geriatric patients

- adverse events in ambulatory surgery. A comparison between elderly and younger patients (Chung *et al*), 309
- use of cuffed oropharyngeal *vs* laryngeal mask airway in elderly patients (Ezri *et al*), 363
- volume kinetics of Ringer solution after surgery for hip fracture (Svensén *et al*), 133

Gynecological surgery

- cost-effectiveness of prophylactic dolasetron or droperidol *vs* rescue therapy in the prevention of

PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536

- gas embolism during hysteroscopy: brief clinical report (Nishiyama and Hanaoka), 379
- intraoperative high dose fentanyl induces postoperative fentanyl tolerance (Chia *et al*), 872
- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Laparoscopic surgery

- comparison of ondansetron with ondansetron and dexamethasone in prevention of PONV in diagnostic laparoscopy (Rajeeva *et al*), 40
- monitoring hémodynamique par Doppler oesophagien lors de la cholécystectomie par coelioscopie (Mann *et al*), 15
- post discharge nausea and vomiting after ambulatory laparoscopy is not reduced by promethazine prophylaxis (Parlow *et al*), 719
- ramosetron *vs* granisetron for the prevention of postoperative nausea and vomiting after laparoscopic cholecystectomy: brief report (Fujii *et al*), 991

Laryngoscopy

- fiberoptic assessment of laryngeal aperture in patients with difficult laryngoscopy (Takenaka *et al*), 226
- predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-dimensional computer imaging study (Naguib *et al*), 748
- thyroplasty under general anesthesia using a laryngeal mask airway and fiberoptic bronchoscope: clinical report (Grundler and Stacey), 460
- tracheal intubation using a Bullard laryngoscope for patients with a simulated difficult airway (MacQuarrie *et al*), 760

Mastectomy

- preincisional dextromethorphan decreases postoperative pain and opioid requirement after modified radical mastectomy (Wong *et al*), 1122

Mechanisms of action

- inhalational and local anesthetics reduce tactile and thermal responses in *mimosa pudica*: laboratory investigation (Milne and Beamish), 287
- isoflurane indirectly depresses middle latency auditory evoked potentials by action in the spinal cord in the goat: laboratory investigation (Antognini and Wang), 692

Monitored anesthesia care

- clinical assessment of target-controlled infusion of propofol during monitored anesthesia care (Casati *et al*), 235

Neuroleptic

- neuroleptanesthesia - current status: review article (Bissonnette *et al*), 154

Neurosurgery

- early postoperative complications following neurosurgical procedures (Manninen *et al*), 7
- transient nerve damage following intubation for trans-sphenoidal hypophysectomy: clinical report (Evers *et al*), 1143
- uncommon mechanism of brachial plexus injury. A case report: clinical report (Bhardwaj and Peng), 173

Obstetrical surgery

- amniotic fluid embolism and isolated disseminated intravascular coagulation: clinical report (Davies), 456
- increased risk of unintentional dural puncture in night-time obstetric epidural anesthesia (Aya *et al*), 665
- obstetrical anesthesia for a parturient with a ventriculoperitoneal shunt and third ventriculostomy: obstetric forum (Littleford *et al*), 1057
- second stage pushing correlates with headache after unintentional dural puncture in parturients (Angle *et al*), 861

Cesarean section

- anesthesia for Cesarean section in two patients with brain tumours: clinical report (Chang *et al*), 61
- Cesarean section in a mother with uncorrected congenital coronary to pulmonary artery fistula: clinical report (Tay *et al*), 368
- comparison of 0.25 mg and 0.1 mg intrathecal morphine for analgesia after Cesarean section (Yang *et al*), 856
- control of shivering under regional anesthesia in obstetric patients with tramadol (Chan *et al*), 253
- epidural tramadol for postoperative pain after Cesarean section (Siddik-Sayyid *et al*), 731
- general anesthesia with remifentanyl for Cesarean section in a parturient with an acoustic neuroma: clinical report (Bédard *et al*), 576
- idiopathic dilated cardiomyopathy presenting in pregnancy: clinical report (Chan and Ngan Kee), 1146
- preoperative dextrose does not affect spinal-induced hypotension in elective Cesarean section (Wilson *et al*), 1024
- spinal block levels and cardiovascular changes during post-Cesarean transport (Bandi *et al*), 736

Anesthesia (continued)*Cesarean section (continued)*

- Strümpell's disease in a patient presenting for Cesarean section: clinical report (McTiernan and Haagenvik), 679
- ST-segment depression and myocardial contractility during cesarean section under spinal anesthesia: brief report (Roy and Ramanathan), 52

Ophthalmic surgery

- oral granisetron for strabismus surgery in children (Munro *et al*), 45

Orthopedic surgery

- comparison of patient-controlled analgesia (PCA) with tramadol or morphine (Pang *et al*), 1030
- impact of a regional anesthesia analgesia program for outpatient foot surgery (Collins *et al*), 840
- inhaled nitric oxide does not alter pulmonary or cardiac effects of fat embolism in dogs after cemented arthroplasty: laboratory investigation (Byrick *et al*), 605
- multicentre trial of ropivacaine 7.5 mg·ml⁻¹ vs bupivacaine 5 mg·ml⁻¹ for supra clavicular brachial plexus anesthesia (Vaghadia *et al*), 946

Arthroscopic

- addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery (Schwarz *et al*), 741
- femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction (Peng *et al*), 919
- intra-articular fentanyl compared with morphine for pain relief following arthroscopic knee surgery (Varkel *et al*), 867
- intra-articular tenoxicam improves postoperative analgesia in knee arthroscopy (Colbert *et al*), 653
- tourniquet inflation during arthroscopic knee ligament surgery does not increase postoperative pain (Hooper *et al*), 925

Spinal

- complete upper airway obstruction during awake fiberoptic intubation of patients with unstable cervical spine fractures: brief clinical report (McGuire and El-Beheiry), 176

Otolaryngeal surgery

- see also **Anesthesia, Trachea, surgery on**
- efficacy and safety of the laryngeal mask airway vs Guedel airway following tracheal extubation: brief clinical report (Dob *et al*), 179
- ondansetron with propofol reduces the incidence of emesis in children following tonsillectomy (Barst *et al*), 359

- thyroplasty under general anesthesia using a laryngeal mask airway and fiberoptic bronchoscope: clinical report (Grundler and Stacey), 460

Pediatric surgery

- acute lung injury after tracheal instillation of acidified soya-based or Enfalac® or human breast milk in rabbits: laboratory investigation (Chin *et al*), 282
- airway management of a child after tracheal resection: brief report (Burt *et al*), 1178
- auditory brainstem evoked responses and temperature monitoring during pediatric cardiopulmonary bypass (Rodriguez *et al*), 832
- immune response in infants undergoing application of cast: comparison of halothane and balanced anesthesia (Mattila-Vuori *et al*), 1036
- midazolam premedication delays recovery from propofol-induced sevoflurane anesthesia in children 1-3 yr (Viitanen *et al*), 766
- ondansetron with propofol reduces the incidence of emesis in children following tonsillectomy (Barst *et al*), 359
- oral granisetron for strabismus surgery in children (Munro *et al*), 45
- rhabdomyolysis in association with Duchenne's muscular dystrophy: clinical report (Obata *et al*), 564
- ropivacaine vs bupivacaine in major surgery in infants: brief report (Ivani *et al*), 467
- sevoflurane-maintained anesthesia induced with propofol or sevoflurane in small children: induction and recovery characteristics (Viitanen *et al*), 21
- thoracic epidural analgesia via the caudal approach using nerve stimulation in an infant with CATCH22: clinical report (Tsui *et al*), 1138

Premedication

- midazolam premedication delays recovery from propofol-induced sevoflurane anesthesia in children 1-3 yr (Viitanen *et al*), 766
- oral clonidine premedication reduces induction dose and prolongs awakening time from propofol nitrous oxide anesthesia: brief clinical report (Goyagi *et al*), 894

Preoperative assessment

- can nurses screen all outpatients? Performance of a nurse based model (Vaghadia and Fowler), 1117
- pre-anesthetic assessment clinics in Ontario: occasional review (Bond), 382

Thoracic surgery

- airway management: contents of a difficult intubation cart: equipment report (McGuire and Wong), 190

- anesthetic management of living liver donors: brief report (Choudhry *et al*), 788
- cisatracurium in a myasthenic patient undergoing thymectomy: clinical report (Baraka *et al*), 779
- comparison of thoracic and lumbar epidural techniques for post-thoracoabdominal esophagectomy analgesia (Kahn *et al*), 415
- double lumen tube placement with the Bullard laryngoscope (Shulman and Connelly), 232
- epidural block with mepivacaine before surgery reduces long-term post-thoracotomy pain (Obata *et al*), 1127
- management of an infant with diffuse bullous pulmonary lesions using high-frequency oscillatory ventilation: clinical report (Aubin *et al*), 970
- wire-guided endobronchial blockade in a patient with a limited mouth opening: equipment report (Arndt *et al*), 87

Trachea, surgery on

- airway management of a child after tracheal resection: brief report (Burt *et al*), 1178
- anesthesia for insertion of a Dumon stent in a patient with a large tracheo-esophageal fistula: clinical report (Inada *et al*), 372
- novel intubation technique for tracheo-esophageal fistula in adults: clinical report (Au *et al*), 688
- tracheal resection and reconstruction: review article (Pinsonneault *et al*), 439

Transplantation

- anesthetic management of living liver donors: brief report (Choudhry *et al*), 788
- combined lung and liver transplantation in a girl with cystic fibrosis: clinical report (Zimmerman *et al*), 571

Vascular surgery

- intraoperative rupture of an abdominal aortic aneurysm during an endovascular stent-graft procedure: clinical report (Moskowitz *et al*), 887
- risk factors for post-carotid endarterectomy hematoma formation (Self *et al*), 635

Anesthesiology

- audit of ketoprofen prescribing after orthopedic and general surgery (Benhamou *et al*), 109
- Canadian Anesthesia Physician Resources: 1996 and beyond: survey report (Donen *et al*), 962
- communication skills for anesthesiologists: medical opinion (Smith and Shelly), 1082
- history of Canadian anesthesia (Moffitt), 1191

Anesthetic techniques

Baricity/density of anesthetics

- addition of opioids alters the density and spread of intrathecal local anesthetics? An *in vitro* study:

laboratory report (Parlow *et al*), 66

Continuous

- new technique of continuous interscalene nerve block: anesthesia technique (Boezaart *et al*), 275

Epidural

- airway management of a child after tracheal resection: brief report (Burt *et al*), 1178
- anesthetic management of living liver donors: brief report (Choudhry *et al*), 788
- comparison of thoracic and lumbar epidural techniques for post-thoracoabdominal esophagectomy analgesia (Kahn *et al*), 415
- covering the head and face maintains intraoperative core temperature (Kamitani *et al*), 649
- detection of subarachnoid and intravascular epidural catheter placement: clinical report (Tsui *et al*), 675
- epidural hematoma following epidural catheter placement in a patient with chronic renal failure: brief report (Basta and Sloan), 271
- epidural structure changes during deep breathing (Igarashi *et al*), 850
- epidural tramadol for postoperative pain after Cesarean section (Siddik-Sayyid *et al*), 731
- motor blockade is reduced with ropivacaine 0.125% for parturient-controlled epidural analgesia during labour (Sia *et al*), 1019
- reduced efficacy of simulated epidural test doses in sevoflurane-anesthetized adults (Takahashi and Tanaka), 433
- ropivacaine *vs* bupivacaine in major surgery in infants: brief report (Ivani *et al*), 467
- saline - anesthetic interval and the spread of epidural anesthesia (Okutomi and Hoka), 935
- saline volume and local anesthetic concentration modify the spread of epidural anesthesia (Okutomi *et al*), 930
- Strümpell's disease in a patient presenting for Cesarean section: clinical report (McTiernan and Haagenvik), 679
- thoracic epidural analgesia via the caudal approach using nerve stimulation in an infant with CATCH22: clinical report (Tsui *et al*), 1138

Blood patch

- epidural blood patch. Resolving the controversies: review article (Duffy and Crosby), 878

Dural puncture

- efficacy of three test doses to detect epidural catheter misplacement (Poblete *et al*), 34
- epidural blood patch. Resolving the controversies: review article (Duffy and Crosby), 878

Anesthetic techniques (continued)*Dural puncture (continued)*

- increased risk of unintentional dural puncture in night-time obstetric epidural anesthesia (Aya *et al*), 665
- second stage pushing correlates with headache after unintentional dural puncture in parturients (Angle *et al*), 861

General

- airway management: contents of a difficult intubation cart: equipment report (McGuire and Wong), 190
- anesthetic management of living liver donors: brief report (Choudhry *et al*), 788
- combined lung and liver transplantation in a girl with cystic fibrosis: clinical report (Zimmerman *et al*), 571
- covering the head and face maintains intraoperative core temperature (Kamitani *et al*), 649
- femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction (Peng *et al*), 919
- thyroplasty under general anesthesia using a laryngeal mask airway and fiberoptic bronchoscope: clinical report (Grundler and Stacey), 460
- uncommon mechanism of brachial plexus injury. A case report: clinical report (Bhardwaj and Peng), 173

Infusion

- clinical assessment of target-controlled infusion of propofol during monitored anesthesia care (Casati *et al*), 235
- target controlled infusion of ketamine as analgesia for TIVA with propofol (Gray *et al*), 957

Intravenous

- non-alkalinized and alkalinized 2-chloroprocaine *vs* lidocaine for intravenous regional anesthesia during outpatient hand surgery (Lavin *et al*), 939

Laryngoscopy

- fiberoptic assessment of laryngeal aperture in patients with difficult laryngoscopy (Takenaka *et al*), 226
- predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-dimensional computer imaging study (Naguib *et al*), 748
- thyroplasty under general anesthesia using a laryngeal mask airway and fiberoptic bronchoscope: clinical report (Grundler and Stacey), 460
- tracheal intubation using a Bullard laryngoscope for patients with a simulated difficult airway (MacQuarrie *et al*), 760

Low flow/high flow

- tracheobronchial consequences of the use of heat and moisture exchangers in dogs: laboratory investigation (Barra Bisinotto *et al*), 897

Neuroleptic

- neuroleptanesthesia - current status: review article (Bissonnette *et al*), 154

Regional

- control of shivering under regional anesthesia in obstetric patients with tramadol (Chan *et al*), 253
- detection of subarachnoid and intravascular epidural catheter placement: clinical report (Tsui *et al*), 675
- epidural tramadol for postoperative pain after Cesarean section (Siddik-Sayyid *et al*), 731
- non-alkalinized and alkalinized 2-chloroprocaine *vs* lidocaine for intravenous regional anesthesia during outpatient hand surgery (Lavin *et al*), 939
- preoperative dextrose does not affect spinal-induced hypotension in elective Cesarean section (Wilson *et al*), 1024
- risk factors for post-carotid endarterectomy hematoma formation (Self *et al*), 635
- ropivacaine *vs* bupivacaine in major surgery in infants: brief report (Ivani *et al*), 467

Brachial plexus

- low dose axillary block by targeted injections of the terminal nerves (Koscielniak-Nielsen *et al*), 658
- multicentre trial of ropivacaine 7.5 mg·ml⁻¹ *vs* bupivacaine 5 mg·ml⁻¹ for supra clavicular brachial plexus anesthesia (Vaghadia *et al*), 946
- new technique of continuous interscalene nerve block: anesthesia technique (Boezaart *et al*), 275

Femoral

- addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery (Schwarz *et al*), 741
- femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction (Peng *et al*), 919

Sciatic nerve block

- impact of a regional anesthesia analgesia program for outpatient foot surgery (Collins *et al*), 840

Topical

- topical amethocaine (AmetopTM) is superior to EMLA for intravenous cannulation (Browne *et al*), 1014

Spinal

- adding low dose meperidine to spinal lidocaine prolongs postoperative analgesia (Murto *et al*), 327

- addition of opioids alters the density and spread of intrathecal local anesthetics? An *in vitro* study: laboratory report (Parlow *et al*), 66
- back pain and collapse associated with receding subarachnoid blockade: clinical report (Coleman *et al*), 464
- delayed postoperative gastric emptying following intrathecal morphine and intrathecal bupivacaine (Lydon *et al*), 544
- efficacy of three test doses to detect epidural catheter misplacement (Poblete *et al*), 34
- preoperative dextrose does not affect spinal-induced hypotension in elective Cesarean section (Wilson *et al*), 1024
- spinal block levels and cardiovascular changes during post-Cesarean transport (Bandi *et al*), 736
- spinal procaine with and without epinephrine and its relation to transient radicular irritation (Bergeron *et al*), 846

Target-controlled

- clinical assessment of target-controlled infusion of propofol during monitored anesthesia care (Casati *et al*), 235
- target controlled infusion of ketamine as analgesia for TIVA with propofol (Gray *et al*), 957

Test doses

- efficacy of three test doses to detect epidural catheter misplacement (Poblete *et al*), 34
- reduced efficacy of simulated epidural test doses in sevoflurane-anesthetized adults (Takahashi and Tanaka), 433

Anesthetics, gases

- tracheobronchial consequences of the use of heat and moisture exchangers in dogs: laboratory investigation (Barra Bisinotto *et al*), 897

Nitrous oxide

- decreased respiratory depression during emergence from anesthesia with sevoflurane/N₂O than with sevoflurane alone (Einarsson *et al*), 335
- laryngo-pharyngeal complaints after use of the laryngeal mask airway (Figueredo *et al*), 220
- rhabdomyolysis in association with Duchenne's muscular dystrophy: clinical report (Obata *et al*), 564

Anesthetics, intravenous

Etomidate

- propofol, but not etomidate, reduces desflurane-mediated sympathetic activation in humans (Lopatka *et al*), 342

Ketamine

- effects of ketamine and pentobarbital on norepinephrine release from the medial prefrontal cor-

tex in rats: laboratory investigation (Kubota *et al*), 388

- ketamine inhibits agonist-induced cAMP accumulation increase in human airway smooth muscle cells: laboratory investigation (Hill *et al*), 1172
- target controlled infusion of ketamine as analgesia for TIVA with propofol (Gray *et al*), 957

Midazolam

- comparison of the hemodynamic effects of sevoflurane anesthesia induction and maintenance *vs* TIVA in CABG surgery (Gravel *et al*), 240

Neuroleptic

- neuroleptanesthesia - current status: review article (Bissonnette *et al*), 154

Opioids

- combined lung and liver transplantation in a girl with cystic fibrosis: clinical report (Zimmerman *et al*), 571

Pentobarbital

- effects of ketamine and pentobarbital on norepinephrine release from the medial prefrontal cortex in rats: laboratory investigation (Kubota *et al*), 388

Propofol

- clinical assessment of target-controlled infusion of propofol during monitored anesthesia care (Casati *et al*), 235
- comparison of the hemodynamic effects of sevoflurane anesthesia induction and maintenance *vs* TIVA in CABG surgery (Gravel *et al*), 240
- high dose propofol enhances red cell antioxidant capacity during CPB in humans (Ansley *et al*), 641
- influence of hypoxia and hyperoxia on the kinetics of propofol emulsion: laboratory investigation (Yamamoto *et al*), 1150
- laryngeal mask insertion using thiopental and low dose atracurium: a comparison with propofol (Koh *et al*), 670
- midazolam premedication delays recovery from propofol-induced sevoflurane anesthesia in children 1-3 yr (Viitanen *et al*), 766
- oral clonidine premedication reduces induction dose and prolongs awakening time from propofol nitrous oxide anesthesia: brief clinical report (Goyagi *et al*), 894
- potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia (Lowry *et al*), 29

Anesthetics, intravenous (continued)**Propofol (continued)**

- propofol, but not etomidate, reduces desflurane-mediated sympathetic activation in humans (Lopatka *et al*), 342
- propofol does not affect the canine cardiac conduction system under autonomic blockade: laboratory report (Ikeno *et al*), 148
- propofol or sevoflurane for laryngeal mask airway insertion (Molloy *et al*), 322
- propofol prevents delayed neuronal death following transient forebrain ischemia in gerbils: laboratory investigation (Yamaguchi *et al*), 593
- rats show unimpaired learning within minutes after recovery from single bolus propofol anesthesia: laboratory investigation (Engeland *et al*), 586
- sevoflurane-maintained anesthesia induced with propofol or sevoflurane in small children: induction and recovery characteristics (Viitanen *et al*), 21
- target controlled infusion of ketamine as analgesia for TIVA with propofol (Gray *et al*), 957
- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

Thiopental

- laryngeal mask insertion using thiopental and low dose atracurium: a comparison with propofol (Koh *et al*), 670

TIVA

- comparison of the hemodynamic effects of sevoflurane anesthesia induction and maintenance *vs* TIVA in CABG surgery (Gravel *et al*), 240
- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

Anesthetics, local**Alkalinization**

- non-alkalinized and alkalinized 2-chloroprocaine *vs* lidocaine for intravenous regional anesthesia during outpatient hand surgery (Lavin *et al*), 939
- *in vitro* diffusion of lidocaine across endotracheal tube cuffs: equipment report (Huang *et al*), 82

Amethocaine

- topical amethocaine (Ametop™) is superior to EMLA for intravenous cannulation (Browne *et al*), 1014

Bupivacaine

- addition of opioids alters the density and spread of intrathecal local anesthetics? An *in vitro* study: laboratory report (Parlow *et al*), 66

- back pain and collapse associated with receding subarachnoid blockade: clinical report (Coleman *et al*), 464
- delayed postoperative gastric emptying following intrathecal morphine and intrathecal bupivacaine (Lydon *et al*), 544
- efficacy of three test doses to detect epidural catheter misplacement (Poblete *et al*), 34
- multicentre trial of ropivacaine 7.5 mg·ml⁻¹ *vs* bupivacaine 5 mg·ml⁻¹ for supra clavicular brachial plexus anesthesia (Vaghadia *et al*), 946
- new technique of continuous interscalene nerve block: anesthesia technique (Boezaart *et al*), 275
- ropivacaine *vs* bupivacaine in major surgery in infants: brief report (Ivani *et al*), 467

Felypressin addition

- felypressin-induced reduction in coronary blood flow and myocardial tissue oxygen tension during anesthesia in dogs: laboratory investigation (Agata *et al*), 1070

Lidocaine

- adding low dose meperidine to spinal lidocaine prolongs postoperative analgesia (Murto *et al*), 327
- addition of opioids alters the density and spread of intrathecal local anesthetics? An *in vitro* study: laboratory report (Parlow *et al*), 66
- anesthesia of the airway by aspiration of lidocaine (Chung *et al*), 215
- efficacy of three test doses to detect epidural catheter misplacement (Poblete *et al*), 34
- inhalational and local anesthetics reduce tactile and thermal responses in *mimosa pudica*: laboratory investigation (Milne and Beamish), 287
- intra-axonal continuous measurement of lidocaine concentration and pH in squid giant axon: laboratory investigation (Sano *et al*), 1156
- non-alkalinized and alkalinized 2-chloroprocaine *vs* lidocaine for intravenous regional anesthesia during outpatient hand surgery (Lavin *et al*), 939
- *in vitro* diffusion of lidocaine across endotracheal tube cuffs: equipment report (Huang *et al*), 82

Mepivacaine

- epidural block with mepivacaine before surgery reduces long-term post-thoracotomy pain (Obata *et al*), 1127
- low dose axillary block by targeted injections of the terminal nerves (Koscielniak-Nielsen *et al*), 658
- saline - anesthetic interval and the spread of epidural anesthesia (Okutomi and Hoka), 935
- saline volume and local anesthetic concentration modify the spread of epidural anesthesia (Okutomi *et al*), 930

Prilocaine

- prilocaine induces apoptosis in osteoblastic cells: laboratory report (Nakamura *et al*), 476

Procaine

- spinal procaine with and without epinephrine and its relation to transient radicular irritation (Bergeron *et al*), 846

Ropivacaine

- addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery (Schwarz *et al*), 741
- motor blockade is reduced with ropivacaine 0.125% for parturient-controlled epidural analgesia during labour (Sia *et al*), 1019
- multicentre trial of ropivacaine 7.5 mg·ml⁻¹ vs bupivacaine 5 mg·ml⁻¹ for supra clavicular brachial plexus anesthesia (Vaghadia *et al*), 946
- ropivacaine vs bupivacaine in major surgery in infants: brief report (Ivani *et al*), 467

2-chloroprocaine

- non-alkalinized and alkalinized 2-chloroprocaine vs lidocaine for intravenous regional anesthesia during outpatient hand surgery (Lavin *et al*), 939

Warming

- *in vitro* diffusion of lidocaine across endotracheal tube cuffs: equipment report (Huang *et al*), 82

Anesthetics, volatile**Desflurane**

- beneficial effects of sevoflurane and desflurane against myocardial reperfusion injury after cardioplegic arrest: laboratory investigation (Preckel *et al*), 1076
- estimation of desflurane concentration using isoflurane channel in optical infrared analyzer: equipment report (Tsui *et al*), 192
- propofol, but not etomidate, reduces desflurane-mediated sympathetic activation in humans (Lopatka *et al*), 342
- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Halothane

- anesthetic modulation of myocardial ischemia and reperfusion injury in pigs: comparison between halothane and sevoflurane: laboratory report (Conradie *et al*), 71
- factitious halothane detection during trigger-free anesthesia in a malignant hyperthermia susceptible patient: clinical report (Hawkes), 567
- halothane decreases calcium sensitivity of rat aortic smooth muscle: laboratory investigation (Kakuyama *et al*), 1164

- hydroxyl radical formation during inhalation anesthesia in the reperfused working rat heart: laboratory report (Nakamura *et al*), 470
- immune response in infants undergoing application of cast: comparison of halothane and balanced anesthesia (Mattila-Vuori *et al*), 1036
- inhalational and local anesthetics reduce tactile and thermal responses in *mimosa pudica*: laboratory investigation (Milne and Beamish), 287
- landiolol decreases a dysrhythmogenic dose of epinephrine in dogs during halothane anesthesia: laboratory investigation (Takahashi *et al*), 599

Isoflurane

- combined lung and liver transplantation in a girl with cystic fibrosis: clinical report (Zimmerman *et al*), 571
- cost comparison of sevoflurane with isoflurane anesthesia in arthroscopic meniscectomy surgery (Ries *et al*), 1008
- hydroxyl radical formation during inhalation anesthesia in the reperfused working rat heart: laboratory report (Nakamura *et al*), 470
- isoflurane impairs antioxidant defence system in guinea pig kidney: laboratory investigation (Durak *et al*), 797
- isoflurane indirectly depresses middle latency auditory evoked potentials by action in the spinal cord in the goat: laboratory investigation (Antognini and Wang), 692
- potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia (Lowry *et al*), 29

Sevoflurane

- anesthetic modulation of myocardial ischemia and reperfusion injury in pigs: comparison between halothane and sevoflurane: laboratory report (Conradie *et al*), 71
- beneficial effects of sevoflurane and desflurane against myocardial reperfusion injury after cardioplegic arrest: laboratory investigation (Preckel *et al*), 1076
- comparison of the hemodynamic effects of sevoflurane anesthesia induction and maintenance vs TIVA in CABG surgery (Gravel *et al*), 240
- cost comparison of sevoflurane with isoflurane anesthesia in arthroscopic meniscectomy surgery (Ries *et al*), 1008
- decreased respiratory depression during emergence from anesthesia with sevoflurane/N₂O than with sevoflurane alone (Einarsson *et al*), 335

Anesthetics, volatile (continued)**Sevoflurane (continued)**

- hydroxyl radical formation during inhalation anesthesia in the reperfused working rat heart: laboratory report (Nakamura *et al*), 470
- midazolam premedication delays recovery from propofol-induced sevoflurane anesthesia in children 1-3 yr (Viitanen *et al*), 766
- potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia (Lowry *et al*), 29
- propofol or sevoflurane for laryngeal mask airway insertion (Molloy *et al*), 322
- reduced efficacy of simulated epidural test doses in sevoflurane-anesthetized adults (Takahashi and Tanaka), 433
- rhabdomyolysis in association with Duchenne's muscular dystrophy: clinical report (Obata *et al*), 564
- sevoflurane exposure time and the neuromuscular blocking effect of vecuronium (Ahmed *et al*), 429
- sevoflurane-maintained anesthesia induced with propofol or sevoflurane in small children: induction and recovery characteristics (Viitanen *et al*), 21
- transfer function analysis of the circulation in patients undergoing sevoflurane anesthesia (Fujiwara *et al*), 820

Antagonists

- cisatracurium in a myasthenic patient undergoing thymectomy: clinical report (Baraka *et al*), 779
- heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension (Kimura *et al*), 1110

Antiemetics**Dexamethasone**

- comparison of ondansetron with ondansetron and dexamethasone in prevention of PONV in diagnostic laparoscopy (Rajeeva *et al*), 40

Dolasetron

- cost-effectiveness of prophylactic dolasetron or droperidol *vs* rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536

Droperidol

- cost-effectiveness of prophylactic dolasetron or droperidol *vs* rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536
- post discharge nausea and vomiting after ambulatory laparoscopy is not reduced by promethazine prophylaxis (Parlow *et al*), 719

Granisetron

- oral granisetron for strabismus surgery in children (Munro *et al*), 45
- ramosetron *vs* granisetron for the prevention of postoperative nausea and vomiting after laparoscopic cholecystectomy: brief report (Fujii *et al*), 991

Ondansetron

- comparison of ondansetron with ondansetron and dexamethasone in prevention of PONV in diagnostic laparoscopy (Rajeeva *et al*), 40
- ondansetron with propofol reduces the incidence of emesis in children following tonsillectomy (Barst *et al*), 359

Pharmacoeconomics

- cost-effectiveness of prophylactic dolasetron or droperidol *vs* rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536

Promethazine

- post discharge nausea and vomiting after ambulatory laparoscopy is not reduced by promethazine prophylaxis (Parlow *et al*), 719

Ramosetron

- ramosetron *vs* granisetron for the prevention of postoperative nausea and vomiting after laparoscopic cholecystectomy: brief report (Fujii *et al*), 991

Antithrombin III, see under Pharmacology**Apoptosis**

- prilocaine induces apoptosis in osteoblastic cells: laboratory report (Nakamura *et al*), 476

Arrhythmias, see under Complications**Arthroscopy, see under Anesthesia, Orthopedic surgery****Aspiration, see under Complications****Atracurium, see under Neuromuscular relaxants****B****Blood****Anemia**

- etiology of preoperative anemia in patients undergoing scheduled cardiac surgery: brief report (Karski *et al*), 979

Coagulation

- amniotic fluid embolism and isolated disseminated intravascular coagulation: clinical report (Davies), 456
- treatment of heparin resistance with Antithrombin III in cardiac surgery: clinical report (Kanbak), 581

Neutrophils

- systemic thermal injury in anesthetized rabbits causes early pulmonary vascular injury that is not ablated by lazarets: laboratory report (Miles *et al*), 142

Blood flow**Carotid**

- potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia (Lowry *et al*), 29

Cerebral

- cerebral blood flow velocity during isovolemic hemodilution and subsequent autologous blood retransfusion (Mühling *et al*), 550
- hyperventilation after tourniquet deflation prevents an increase in cerebral blood flow velocity (Kadoi *et al*), 259

Coronary

- felypressin-induced reduction in coronary blood flow and myocardial tissue oxygen tension during anesthesia in dogs: laboratory investigation (Agata *et al*), 1070

Bradycardia, see under Heart**Brain****Blood flow velocity**

- cerebral blood flow velocity during isovolemic hemodilution and subsequent autologous blood retransfusion (Mühling *et al*), 550

Hippocampal CA1

- propofol prevents delayed neuronal death following transient forebrain ischemia in gerbils: laboratory investigation (Yamaguchi *et al*), 593

Medial prefrontal cortex

- effects of ketamine and pentobarbital on norepinephrine release from the medial prefrontal cortex in rats: laboratory investigation (Kubota *et al*), 388

Tumour

- anesthesia for Cesarean section in two patients with brain tumours: clinical report (Chang *et al*), 61
- general anesthesia with remifentanyl for Cesarean section in a parturient with an acoustic neuroma: clinical report (Bédard *et al*), 576

Bupivacaine, see under Anesthetics, local**C****Calcium**

- halothane decreases calcium sensitivity of rat aortic smooth muscle: laboratory investigation (Kakuyama *et al*), 1164

Carbon dioxide

- decreased respiratory depression during emergence from anesthesia with sevoflurane/N₂O

than with sevoflurane alone (Einarsson *et al*), 335

- gas embolism during hysteroscopy: brief clinical report (Nishiyama and Hanaoka), 379

Cardiac surgery, see under Anesthesia**Catecholamines**

- time of peritoneal cavity exposure influences postoperative glucose production (Schrickler *et al*), 352

Cells

- prilocaine induces apoptosis in osteoblastic cells: laboratory report (Nakamura *et al*), 476

Central nervous system

- effects of ketamine and pentobarbital on norepinephrine release from the medial prefrontal cortex in rats: laboratory investigation (Kubota *et al*), 388

Cerebrospinal fluid (CSF)

- addition of opioids alters the density and spread of intrathecal local anesthetics? An *in vitro* study: laboratory report (Parlow *et al*), 66

Cesarean section, see under Anesthesia, Obstetrical surgery**Cholecystectomy, see under Anesthesia, Laparoscopic surgery****Cisapride, see under Pharmacology****Cisatracurium, see under Neuromuscular relaxants****Clonidine, see under Sympathetic nervous system****Coagulation, see under Blood****Complications**

- *see also* Intubation, tracheal, Difficult; Vomiting, postoperative nausea and
- adverse events in ambulatory surgery. A comparison between elderly and younger patients (Chung *et al*), 309

Alzheimer's disease

- response to surgical stress in elderly patients and Alzheimer's disease (Kudoh *et al*), 247

Amniotic fluid embolus

- amniotic fluid embolism and isolated disseminated intravascular coagulation: clinical report (Davies), 456

Anaphylaxis

- latex anaphylaxis causing heart block: role of ranitidine: clinical report (Patterson and Milne), 776

Angioneurotic edema

- airway obstruction due to late-onset angioneurotic edema from angiotensin-converting enzyme inhibition: clinical report (Mchaourab *et al*), 975

Aortic rupture

- intraoperative rupture of an abdominal aortic aneurysm during an endovascular stent-graft procedure: clinical report (Moskowitz *et al*), 887

Complications (continued)**Arrhythmias**

- landiolol decreases a dysrhythmogenic dose of epinephrine in dogs during halothane anesthesia: laboratory investigation (Takahashi *et al*), 599
- transfer function analysis of the circulation in patients undergoing sevoflurane anesthesia (Fujiwara *et al*), 820

Aspiration

- gastroesophageal reflux during spontaneous respiration with the laryngeal mask airway: brief report (McCrory and McShane), 268
- water flow between the upper esophagus and pharynx for the LMA and COPA in fresh cadavers: brief report (Brimacombe and Keller), 1064

Back pain

- back pain and collapse associated with receding subarachnoid blockade: clinical report (Coleman *et al*), 464

Brachial plexus injury

- uncommon mechanism of brachial plexus injury. A case report: clinical report (Bhardwaj and Peng), 173

Bradycardia

- back pain and collapse associated with receding subarachnoid blockade: clinical report (Coleman *et al*), 464

Brain tumour

- general anesthesia with remifentanyl for Cesarean section in a parturient with an acoustic neuroma: clinical report (Bédard *et al*), 576

Bulimia nervosa

- unrecognized bulimia nervosa: a potential cause of perioperative cardiac dysrhythmias: clinical report (Suri *et al*), 1048

Burns

- systemic thermal injury in anesthetized rabbits causes early pulmonary vascular injury that is not ablated by lazaroids: laboratory report (Miles *et al*), 142

Cardiac arrest

- perioperative resuscitation knowledge base (Porayko and Butler), 529

Catheter misplacement/fixation

- catheter entrapment by atrial suture during minimally invasive port-access cardiac surgery: brief report (Deneu *et al*), 983
- detection of subarachnoid and intravascular epidural catheter placement: clinical report (Tsui *et al*), 675

Dural puncture

- efficacy of three test doses to detect epidural catheter misplacement (Poblete *et al*), 34

- epidural blood patch. Resolving the controversies: review article (Duffy and Crosby), 878
- increased risk of unintentional dural puncture in night-time obstetric epidural anesthesia (Aya *et al*), 665
- second stage pushing correlates with headache after unintentional dural puncture in parturients (Angle *et al*), 861

Dysphagia/Dysphonia

- laryngo-pharyngeal complaints after use of the laryngeal mask airway (Figueredo *et al*), 220

Esophageal laceration

- esophageal and tracheal distortion by the Esophageal-Tracheal Combitube - a cadaver study: laboratory investigation (Vézina *et al*), 393

Gas embolism

- gas embolism during hysteroscopy: brief clinical report (Nishiyama and Hanaoka), 379

Gastrointestinal

- complications digestives sévères après chirurgie cardiaque sous circulation extracorporelle (Aouifi *et al*), 114

Hematoma

- epidural hematoma following epidural catheter placement in a patient with chronic renal failure: brief report (Basta and Sloan), 271
- risk factors for post-carotid endarterectomy hematoma formation (Self *et al*), 635

Hemorrhage

- detection of retroperitoneal hemorrhage by transesophageal echocardiography during cardiac surgery: clinical report (Yamaura *et al*), 169

Hypertension

- combined diltiazem and lidocaine reduces cardiovascular responses to tracheal extubation and anesthesia emergence in hypertensive patients (Fujii *et al*), 952

Hypoxemia

- profound hypoxemia during treatment of low cardiac output after cardiopulmonary bypass: clinical report (Dennehy *et al*), 56

Intravascular injections

- reduced efficacy of simulated epidural test doses in sevoflurane-anesthetized adults (Takahashi and Tanaka), 433

Myasthenia gravis

- cisatracurium in a myasthenic patient undergoing thymectomy: clinical report (Baraka *et al*), 779

Nerve damage

- transient nerve damage following intubation for trans-sphenoidal hypophysectomy: clinical report (Evers *et al*), 1143

Paraplegia

- Strümpell's disease in a patient presenting for Cesarean section: clinical report (McTiernan and Haagenvik), 679

Postoperative

- early postoperative complications following neurosurgical procedures (Manninen *et al*), 7

Pott's disease

- Pott's disease with unstable cervical spine, retropharyngeal cold abscess and progressive airway obstruction: clinical report (Pollard and El-Beheiry), 772

Pruritus

- comparison of 0.25 mg and 0.1 mg intrathecal morphine for analgesia after Cesarean section (Yang *et al*), 856

Pulmonary

- management of an infant with diffuse bullous pulmonary lesions using high-frequency oscillatory ventilation: clinical report (Aubin *et al*), 970
- unilateral negative pressure pulmonary edema during anesthesia with a laryngeal mask airway: clinical report (Sullivan), 1053

Regurgitation

- gastroesophageal reflux during spontaneous respiration with the laryngeal mask airway: brief report (McCrory and McShane), 268
- water flow between the upper esophagus and pharynx for the LMA and COPA in fresh cadavers: brief report (Brimacombe and Keller), 1064

Renal failure

- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

Respiratory failure

- acute respiratory alkalosis associated with low minute ventilation in a patient with severe hypothyroidism: clinical anesthesia file (Lee and Levine), 185

Rhabdomyolysis

- rhabdomyolysis in association with Duchenne's muscular dystrophy: clinical report (Obata *et al*), 564

Seizures

- multicentre trial of ropivacaine 7.5 mg·ml⁻¹ vs bupivacaine 5 mg·ml⁻¹ for supra clavicular brachial plexus anesthesia (Vaghadia *et al*), 946

Sore throat

- laryngo-pharyngeal complaints after use of the laryngeal mask airway (Figueredo *et al*), 220

Stroke

- idiopathic dilated cardiomyopathy presenting in pregnancy: clinical report (Chan and Ngan Kee), 1146

Syncope

- back pain and collapse associated with receding subarachnoid blockade: clinical report (Coleman *et al*), 464

Tachycardia

- combined diltiazem and lidocaine reduces cardiovascular responses to tracheal extubation and anesthesia emergence in hypertensive patients (Fujii *et al*), 952

Tourniquet release

- hyperventilation after tourniquet deflation prevents an increase in cerebral blood flow velocity (Kadoi *et al*), 259

Tracheo-esophageal fistula

- anesthesia for insertion of a Dumon stent in a patient with a large tracheo-esophageal fistula: clinical report (Inada *et al*), 372
- novel intubation technique for tracheo-esophageal fistula in adults: clinical report (Au *et al*), 688

Ventriculoperitoneal shunt

- obstetrical anesthesia for a parturient with a ventriculoperitoneal shunt and third ventriculostomy: obstetric forum (Littleford *et al*), 1057

Ventriculostomy

- obstetrical anesthesia for a parturient with a ventriculoperitoneal shunt and third ventriculostomy: obstetric forum (Littleford *et al*), 1057

Computers

- the anesthetic record: accuracy and completeness (Devitt *et al*), 122
- predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-dimensional computer imaging study (Naguib *et al*), 748

Conscious sedation, see Anesthetic techniques,**Neuroleptic****Cortisol**

- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Costs

- patient flow in the Post Anesthesia Care Unit: an observational study (Tessler *et al*), 348
- pre-anesthetic assessment clinics in Ontario: occasional review (Bond), 382

Pharmacoeconomics

- cost comparison of sevoflurane with isoflurane anesthesia in arthroscopic meniscectomy surgery (Ries *et al*), 1008
- cost-effectiveness of prophylactic dolasetron or droperidol vs rescue therapy in the prevention of

Costs (continued)*Pharmacoeconomics (continued)*

PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536

CSF, see Cerebrospinal fluid**Cuffed oropharyngeal airways (COPAs), see under Equipment****D**

Dandy-Walker syndrome, *see under* Syndromes

Desflurane, *see* Anesthetics, volatile

Dexamethasone, *see under* Antiemetics

Dextromethorphan, *see under* Analgesics

Diltiazem, *see under* Pharmacology

Dobutamine, *see under* Pharmacology

Dolasetron, *see under* Pharmacology

Doppler echocardiography, *see under* Measurement techniques

Droperidol, *see under* Pharmacology

Duchenne's muscular dystrophy, *see under* Syndromes

Dural puncture, *see under* Complications

E

Echocardiography, *see under* Measurement techniques

Economics of health care, *see* Costs

ECT (electroconvulsive therapy), *see under* Anesthesia Education

- communication skills for anesthesiologists: medical opinion (Smith and Shelly), 1082

Level of training

- the anesthetic record: accuracy and completeness (Devitt *et al*), 122
- perioperative resuscitation knowledge base (Porayko and Butler), 529

Electrocardiography, *see under* Measurement techniques

Electroconvulsive therapy (ECT), *see under* Anesthesia

Embolism*Amniotic fluid*

- amniotic fluid embolism and isolated disseminated intravascular coagulation: clinical report (Davies), 456

Fat

- inhaled nitric oxide does not alter pulmonary or cardiac effects of fat embolism in dogs after cemented arthroplasty: laboratory investigation (Byrick *et al*), 605

Gas

- gas embolism during hysteroscopy: brief clinical report (Nishiyama and Hanaoka), 379

Endocrine glands

- acute respiratory alkalosis associated with low minute ventilation in a patient with severe

hypothyroidism: clinical anesthesia file (Lee and Levine), 185

Endotracheal tube cuff, *see under* Equipment

Epidemiology

- impact of a regional anesthesia analgesia program for outpatient foot surgery (Collins *et al*), 840

Epidural anesthesia, *see under* Anesthetic techniques

Epinephrine, *see under* Pharmacology; Sympathetic nervous system

Equipment*Combitube*

- esophageal and tracheal distortion by the Esophageal-Tracheal Combitube - a cadaver study: laboratory investigation (Vézina *et al*), 393

Cuffed oropharyngeal airways (COPAs)

- use of cuffed oropharyngeal vs laryngeal mask airway in elderly patients (Ezri *et al*), 363
- water flow between the upper esophagus and pharynx for the LMA and COPA in fresh cadavers: brief report (Brimacombe and Keller), 1064

Difficult intubation

- airway management: contents of a difficult intubation cart: equipment report (McGuire and Wong), 190

Dumon stent

- anesthesia for insertion of a Dumon stent in a patient with a large tracheo-esophageal fistula: clinical report (Inada *et al*), 372

Endobronchial blockade

- wire-guided endobronchial blockade in a patient with a limited mouth opening: equipment report (Arndt *et al*), 87

Endobronchial tubes, double lumen

- bronchial anatomy and single-lung ventilation in the pig: brief report (Mouton *et al*), 701

Endotracheal tube cuffs

- *in vitro* diffusion of lidocaine across endotracheal tube cuffs: equipment report (Huang *et al*), 82

Fiberoptic bronchoscope

- awake tracheal intubation through the intubating laryngeal mask: brief clinical report (Asai *et al*), 182

Fiberoptic intubation

- wire-guided endobronchial blockade in a patient with a limited mouth opening: equipment report (Arndt *et al*), 87

Gas analysers

- factitious halothane detection during trigger-free anesthesia in a malignant hyperthermia susceptible patient: clinical report (Hawkes), 567

Gas chromatography

- *in vitro* diffusion of lidocaine across endotracheal

tube cuffs: equipment report (Huang *et al*), 82

Heart pacing

- complete atrioventricular block during anesthesia: clinical report (Mamiya *et al*), 265

Humidifiers

- tracheobronchial consequences of the use of heat and moisture exchangers in dogs: laboratory investigation (Barra Bisinotto *et al*), 897

Infusion pump

- clinical assessment of target-controlled infusion of propofol during monitored anesthesia care (Casati *et al*), 235

Injection systems

- contamination susceptibility of three needleless and one standard needle injection systems: equipment report (Ho and Ling), 290

Laryngeal mask airways (LMAs)

- anesthesia for Freeman-Sheldon syndrome using a laryngeal mask airway: clinical report (Cruickshanks *et al*), 783
- awake tracheal intubation through the intubating laryngeal mask: brief clinical report (Asai *et al*), 182
- comparison of the flexible and standard laryngeal mask airways (Brimacombe and Keller), 558
- efficacy and safety of the laryngeal mask airway *vs* Guedel airway following tracheal extubation: brief clinical report (Dob *et al*), 179
- gastroesophageal reflux during spontaneous respiration with the laryngeal mask airway: brief report (McCrory and McShane), 268
- intubating laryngeal mask airway in failed fibre-optic intubation: brief clinical report (Watson *et al*), 376
- intubating laryngeal mask airway in fresh cadavers *vs* paralysed anesthetised patients: brief report (Keller and Brimacombe), 1067
- intubation via LMA in pediatric patients with difficult airways: brief clinical report (Selim *et al*), 891
- laryngeal mask insertion using thiopental and low dose atracurium: a comparison with propofol (Koh *et al*), 670
- laryngo-pharyngeal complaints after use of the laryngeal mask airway (Figueredo *et al*), 220
- potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia (Lowry *et al*), 29
- propofol or sevoflurane for laryngeal mask airway insertion (Molloy *et al*), 322
- thyroplasty under general anesthesia using a laryngeal mask airway and fiberoptic bronchoscope: clinical report (Grundler and Stacey), 460

- unilateral negative pressure pulmonary edema during anesthesia with a laryngeal mask airway: clinical report (Sullivan), 1053
- use of cuffed oropharyngeal *vs* laryngeal mask airway in elderly patients (Ezri *et al*), 363
- water flow between the upper esophagus and pharynx for the LMA and COPA in fresh cadavers: brief report (Brimacombe and Keller), 1064

Laryngoscopes

- assessment of the luminance and light field characteristics of used direct laryngoscopes: technical report (Crosby and Cleland), 792
- double lumen tube placement with the Bullard laryngoscope (Shulman and Connelly), 232
- tracheal intubation using a Bullard laryngoscope for patients with a simulated difficult airway (MacQuarrie *et al*), 760

Monitors

- the anesthetic record: accuracy and completeness (Devitt *et al*), 122

Needles

- contamination susceptibility of three needleless and one standard needle injection systems: equipment report (Ho and Ling), 290

Optical infrared analyzer

- estimation of desflurane concentration using isoflurane channel in optical infrared analyzer: equipment report (Tsui *et al*), 192

Oxygen concentrators

- oxygen concentrators - a primary oxygen supply source: equipment report (Friesen *et al*), 1185

Vasotrac™

- accuracy of radial artery blood pressure determination with the Vasotrac™: equipment report (Belani *et al*), 488

Ethics

- ethical and practical considerations of withdrawal of treatment in the Intensive Care Unit: medical ethics (Eschun *et al*), 497

Etomidate, *see under* Anesthetics, intravenous

Extubation, tracheal

- *see also* Intubation, tracheal
- combined diltiazem and lidocaine reduces cardiovascular responses to tracheal extubation and anesthesia emergence in hypertensive patients (Fujii *et al*), 952
- comparison of thoracic and lumbar epidural techniques for post-thoracoabdominal esophagectomy analgesia (Kahn *et al*), 415
- efficacy and safety of the laryngeal mask airway *vs* Guedel airway following tracheal extubation: brief clinical report (Dob *et al*), 179

F

Felypressin, *see under* Pharmacology

Fentanyl, *see under* Analgesics

Fluids, Ringer solution

- volume kinetics of Ringer solution after surgery for hip fracture (Svensén *et al*), 133

Free radicals, *see under* Oxygen

Freeman-Sheldon syndrome, *see under* Syndromes

G

Gas chromatography, *see under* Equipment

Gases, non-anesthetic

- inhaled nitric oxide does not alter pulmonary or cardiac effects of fat embolism in dogs after cemented arthroplasty: laboratory investigation (Byrick *et al*), 605

Gastrointestinal tract, gastric motility

- cisapride does not alter gastric volume or pH in patients undergoing ambulatory surgery: brief report (Lydon *et al*), 1181
- delayed postoperative gastric emptying following intrathecal morphine and intrathecal bupivacaine (Lydon *et al*), 544

General anesthesia, *see under* Anesthetic techniques

Geriatric patients, *see* Age factors; Anesthesia, Geriatric patients

Glucagon/glucose

- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Granisetron, *see under* Antiemetics

Gynecological surgery, *see under* Anesthesia

H

Halothane, *see under* Anesthetics, volatile

Heart

Arrhythmias

- landiolol decreases a dysrhythmogenic dose of epinephrine in dogs during halothane anesthesia: laboratory investigation (Takahashi *et al*), 599
- transfer function analysis of the circulation in patients undergoing sevoflurane anesthesia (Fujiwara *et al*), 820
- unrecognized bulimia nervosa: a potential cause of perioperative cardiac dysrhythmias: clinical report (Suri *et al*), 1048

Block

- complete atrioventricular block during anesthesia: clinical report (Mamiya *et al*), 265
- latex anaphylaxis causing heart block: role of ranitidine: clinical report (Patterson and Milne), 776
- unrecognized bulimia nervosa: a potential cause

of perioperative cardiac dysrhythmias: clinical report (Suri *et al*), 1048

Bradycardia

- back pain and collapse associated with receding subarachnoid blockade: clinical report (Coleman *et al*), 464
- propofol does not affect the canine cardiac conduction system under autonomic blockade: laboratory report (Ikeno *et al*), 148
- unrecognized bulimia nervosa: a potential cause of perioperative cardiac dysrhythmias: clinical report (Suri *et al*), 1048

Cardiomyopathy

- idiopathic dilated cardiomyopathy presenting in pregnancy: clinical report (Chan and Ngan Kee), 1146

Electrophysiology

- propofol does not affect the canine cardiac conduction system under autonomic blockade: laboratory report (Ikeno *et al*), 148

Failure

- Cesarean section in a mother with uncorrected congenital coronary to pulmonary artery fistula: clinical report (Tay *et al*), 368

Ischemia/reperfusion

- anesthetic modulation of myocardial ischemia and reperfusion injury in pigs: comparison between halothane and sevoflurane: laboratory report (Conradie *et al*), 71
- beneficial effects of sevoflurane and desflurane against myocardial reperfusion injury after cardioplegic arrest: laboratory investigation (Preckel *et al*), 1076
- high dose propofol enhances red cell antioxidant capacity during CPB in humans (Ansley *et al*), 641
- hydroxyl radical formation during inhalation anesthesia in the reperfused working rat heart: laboratory report (Nakamura *et al*), 470
- intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography (Couture *et al*), 827
- ST-segment depression and myocardial contractility during cesarean section under spinal anesthesia: brief report (Roy and Ramanathan), 52

Resuscitation

- perioperative resuscitation knowledge base (Porayko and Butler), 529

Segmental wall-motion

- intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography (Couture *et al*), 827

Sinoatrial node

- propofol does not affect the canine cardiac conduction system under autonomic blockade: laboratory report (Ikeno *et al*), 148

Ventricular function

- hemodynamic effects of medical antishock trousers during mechanical ventilation (Fellahi *et al*), 423

Hematoma, see under Complications**Hemorrhage, see under Complications****Hormones**

- chronic angiotensin converting enzyme inhibition does not influence renal hemodynamic and function during cardiac surgery (Licker *et al*), 626
- halothane decreases calcium sensitivity of rat aortic smooth muscle: laboratory investigation (Kakuyama *et al*), 1164
- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Hypertension

- combined diltiazem and lidocaine reduces cardiovascular responses to tracheal extubation and anesthesia emergence in hypertensive patients (Fujii *et al*), 952

Hyperthermia, malignant, see under Temperature**Hyperventilation, see under Lungs****Hypotension**

- heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension (Kimura *et al*), 1110
- oral clonidine reduces the requirement of prostaglandin E1 for induced hypotension (Murakami *et al*), 1043
- preoperative dextrose does not affect spinal-induced hypotension in elective Cesarean section (Wilson *et al*), 1024

Hypothermia, see under Temperature**Hypothyroidism**

- acute respiratory alkalosis associated with low minute ventilation in a patient with severe hypothyroidism: clinical anesthesia file (Lee and Levine), 185

Hypoxemia, see under Complications**Hypoxia**

- influence of hypoxia and hyperoxia on the kinetics of propofol emulsion: laboratory investigation (Yamamoto *et al*), 1150

Hysteroscopy, see under Anesthesia, Gynecological surgery**I****Immune response**

- immune response in infants undergoing application of cast: comparison of halothane and balanced anesthesia (Mattila-Vuori *et al*), 1036

Indomethacin, see under Analgesics**Insulin**

- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Intensive care

- ethical and practical considerations of withdrawal of treatment in the Intensive Care Unit: medical ethics (Eschun *et al*), 497

Intubation, tracheal

- *see also* Extubation, tracheal

Awake

- anesthesia of the airway by aspiration of lidocaine (Chung *et al*), 215
- awake tracheal intubation through the intubating laryngeal mask: brief clinical report (Asai *et al*), 182
- complete upper airway obstruction during awake fiberoptic intubation of patients with unstable cervical spine fractures: brief clinical report (McGuire and El-Beheiry), 176

Complications

- complete upper airway obstruction during awake fiberoptic intubation of patients with unstable cervical spine fractures: brief clinical report (McGuire and El-Beheiry), 176
- esophageal and tracheal distortion by the Esophageal-Tracheal Combitube - a cadaver study: laboratory investigation (Vézina *et al*), 393

Difficult

- airway management: contents of a difficult intubation cart: equipment report (McGuire and Wong), 190
- awake tracheal intubation through the intubating laryngeal mask: brief clinical report (Asai *et al*), 182
- fiberoptic assessment of laryngeal aperture in patients with difficult laryngoscopy (Takenaka *et al*), 226
- intubating laryngeal mask airway in failed fiberoptic intubation: brief clinical report (Watson *et al*), 376
- intubation via LMA in pediatric patients with difficult airways: brief clinical report (Selim *et al*), 891
- predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-

Intubation, tracheal (continued)**Difficult (continued)**

- dimensional computer imaging study (Naguib *et al*), 748
- tracheal intubation using a Bullard laryngoscope for patients with a simulated difficult airway (MacQuarrie *et al*), 760
- wire-guided endobronchial blockade in a patient with a limited mouth opening: equipment report (Arndt *et al*), 87

Double lumen tubes

- bronchial anatomy and single-lung ventilation in the pig: brief report (Mouton *et al*), 701
- double lumen tube placement with the Bullard laryngoscope (Shulman and Connelly), 232

Fibreoptic

- anesthesia of the airway by aspiration of lidocaine (Chung *et al*), 215
- complete upper airway obstruction during awake fibreoptic intubation of patients with unstable cervical spine fractures: brief clinical report (McGuire and El-Beheiry), 176
- intubating laryngeal mask airway in failed fibreoptic intubation: brief clinical report (Watson *et al*), 376

Laryngoscopy

- assessment of laryngeal view: percentage of glottic opening score *vs* Cormack and Lehane grading: brief report (Ochroch *et al*), 987

Technique

- awake tracheal intubation through the intubating laryngeal mask: brief clinical report (Asai *et al*), 182
- complete upper airway obstruction during awake fibreoptic intubation of patients with unstable cervical spine fractures: brief clinical report (McGuire and El-Beheiry), 176
- intubating laryngeal mask airway in fresh cadavers *vs* paralysed anesthetised patients: brief report (Keller and Brimacombe), 1067
- novel intubation technique for tracheoesophageal fistula in adults: clinical report (Au *et al*), 688

Wire-guided

- wire-guided endobronchial blockade in a patient with a limited mouth opening: equipment report (Arndt *et al*), 87

Ions

- halothane decreases calcium sensitivity of rat aortic smooth muscle: laboratory investigation (Kakuyama *et al*), 1164

Ischemia**Cerebral**

- propofol prevents delayed neuronal death following transient forebrain ischemia in gerbils: laboratory investigation (Yamaguchi *et al*), 593

Myocardial

- anesthetic modulation of myocardial ischemia and reperfusion injury in pigs: comparison between halothane and sevoflurane: laboratory report (Conradie *et al*), 71
- beneficial effects of sevoflurane and desflurane against myocardial reperfusion injury after cardioplegic arrest: laboratory investigation (Preckel *et al*), 1076
- high dose propofol enhances red cell antioxidant capacity during CPB in humans (Ansley *et al*), 641
- hydroxyl radical formation during inhalation anesthesia in the reperfused working rat heart: laboratory report (Nakamura *et al*), 470
- intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography (Couture *et al*), 827
- ST-segment depression and myocardial contractility during cesarean section under spinal anesthesia: brief report (Roy and Ramanathan), 52

Isoflurane, see under Anesthetics, volatile**Isotopes, see under Measurement techniques****K****Ketamine, see under Anesthetics, intravenous****Ketoprofen, see under Analgesics****Ketorolac, see under Analgesics****Kidneys****Circulation**

- chronic angiotensin converting enzyme inhibition does not influence renal hemodynamic and function during cardiac surgery (Licker *et al*), 626

Failure

- epidural hematoma following epidural catheter placement in a patient with chronic renal failure: brief report (Basta and Sloan), 271
- isoflurane impairs antioxidant defence system in guinea pig kidney: laboratory investigation (Durak *et al*), 797
- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

L**Landiolol, see under Pharmacology****Laparoscopic surgery, see under Anesthesia****Laryngeal mask airways (LMAs), see under Equipment****Laryngoscopy, see under Anesthesia**

Lidocaine, see under Anesthetics, local; Pharmacology
Liver**Metabolism/Redox potential**

- influence of hypoxia and hyperoxia on the kinetics of propofol emulsion: laboratory investigation (Yamamoto *et al*), 1150

Transplantation

- anesthetic management of living liver donors: brief report (Choudhry *et al*), 788
- combined lung and liver transplantation in a girl with cystic fibrosis: clinical report (Zimmerman *et al*), 571

Lungs**Bronchi**

- ketamine inhibits agonist-induced cAMP accumulation increase in human airway smooth muscle cells: laboratory investigation (Hill *et al*), 1172
- tracheobronchial consequences of the use of heat and moisture exchangers in dogs: laboratory investigation (Barra Bisinotto *et al*), 897

Carbon dioxide elimination

- decreased respiratory depression during emergence from anesthesia with sevoflurane/N₂O than with sevoflurane alone (Einarsson *et al*), 335

Compliance

- acute lung injury after tracheal instillation of acidified soya-based or Enfalac® or human breast milk in rabbits: laboratory investigation (Chin *et al*), 282

Hyperventilation

- hyperventilation after tourniquet deflation prevents an increase in cerebral blood flow velocity (Kadoi *et al*), 259

Nitric oxide

- inhaled nitric oxide does not alter pulmonary or cardiac effects of fat embolism in dogs after cemented arthroplasty: laboratory investigation (Byrick *et al*), 605

One-lung anesthesia

- bronchial anatomy and single-lung ventilation in the pig: brief report (Mouton *et al*), 701
- double lumen tube placement with the Bullard laryngoscope (Shulman and Connelly), 232
- wire-guided endobronchial blockade in a patient with a limited mouth opening: equipment report (Arndt *et al*), 87

Pulmonary artery catheters

- evaluation of a mathematical model to predict intrapulmonary shunt non-invasively: laboratory report (Secar *et al*), 483

Pulmonary vascular resistance

- systemic thermal injury in anesthetized rabbits causes early pulmonary vascular injury that is not ablated by lazaroids: laboratory report (Miles *et al*), 142

Respiratory failure

- acute respiratory alkalosis associated with low minute ventilation in a patient with severe hypothyroidism: clinical anesthesia file (Lee and Levine), 185

Transplantation

- combined lung and liver transplantation in a girl with cystic fibrosis: clinical report (Zimmerman *et al*), 571

Ventilation

- bronchial anatomy and single-lung ventilation in the pig: brief report (Mouton *et al*), 701
- decreased respiratory depression during emergence from anesthesia with sevoflurane/N₂O than with sevoflurane alone (Einarsson *et al*), 335
- management of an infant with diffuse bullous pulmonary lesions using high-frequency oscillatory ventilation: clinical report (Aubin *et al*), 970
- tracheal resection and reconstruction: review article (Pinsonneault *et al*), 439

M**Measurement techniques**

- see also **Monitoring**

Accelerometry

- onset of neuromuscular block at the masseter and adductor pollicis muscles following rocuronium or succinylcholine (de Rossi *et al*), 1133

Action potential

- intra-axonal continuous measurement of lidocaine concentration and pH in squid giant axon: laboratory investigation (Sano *et al*), 1156

Arterial catheterization

- is skin puncture beneficial prior to arterial catheter insertion? (Bhardwaj *et al*), 129

Arterial pressure

- accuracy of radial artery blood pressure determination with the Vasotrac™: equipment report (Belani *et al*), 488

Echocardiography

- monitoring hémodynamique par Doppler oesophagien lors de la cholécystectomie par coelioscopie (Mann *et al*), 15

Electrocardiography

- ST-segment depression and myocardial contractility during cesarean section under spinal anesthesia: brief report (Roy and Ramanathan), 52

Measurement techniques (continued)**Electrocardiography (continued)**

- transfer function analysis of the circulation in patients undergoing sevoflurane anesthesia (Fujiwara *et al*), 820

Epiduroscopy

- epidural structure changes during deep breathing (Igarashi *et al*), 850

Heart rate/blood pressure variability

- heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension (Kimura *et al*), 1110

Illumination by laryngoscopes

- assessment of the luminance and light field characteristics of used direct laryngoscopes: technical report (Crosby and Cleland), 792

Impedance cardiography

- ST-segment depression and myocardial contractility during cesarean section under spinal anesthesia: brief report (Roy and Ramanathan), 52

Isotopes

- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Mechanomyography

- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

Microelectrodes

- intra-axonal continuous measurement of lidocaine concentration and pH in squid giant axon: laboratory investigation (Sano *et al*), 1156

Microneurography

- propofol, but not etomidate, reduces desflurane-mediated sympathetic activation in humans (Lopatka *et al*), 342

Pulmonary artery catheters

- evaluation of a mathematical model to predict intrapulmonary shunt non-invasively: laboratory report (Seear *et al*), 483

Spectral analysis

- heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension (Kimura *et al*), 1110

Three-dimensional computed tomography imaging

- predictive models for difficult laryngoscopy and intubation. A clinical, radiologic and three-dimensional computer imaging study (Naguib *et al*), 748

Transcranial Doppler sonography

- cerebral blood flow velocity during isovolemic hemodilution and subsequent autologous blood retransfusion (Mühling *et al*), 550

- hyperventilation after tourniquet deflation prevents an increase in cerebral blood flow velocity (Kadoi *et al*), 259

Transesophageal echocardiography (TEE)

- detection of retroperitoneal hemorrhage by transesophageal echocardiography during cardiac surgery: clinical report (Yamaura *et al*), 169
- hemodynamic effects of medical antishock trousers during mechanical ventilation (Fellahi *et al*), 423
- intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography (Couture *et al*), 827

Mechanisms of anesthetic action, see under Anesthesia**Meperidine, see under Analgesics****Mepivacaine, see Anesthetics, local****Metabolism**

- time of peritoneal cavity exposure influences postoperative glucose production (Schricker *et al*), 352

Midazolam, see under Anesthetics, intravenous**Mivacurium, see under Neuromuscular relaxants****Monitoring**

- *see also* Measurement techniques

Arterial

- is skin puncture beneficial prior to arterial catheter insertion? (Bhardwaj *et al*), 129

Auditory evoked potentials

- auditory brainstem evoked responses and temperature monitoring during pediatric cardiopulmonary bypass (Rodriguez *et al*), 832
- isoflurane indirectly depresses middle latency auditory evoked potentials by action in the spinal cord in the goat: laboratory investigation (Antognini and Wang), 692

End-tidal carbon dioxide

- gas embolism during hysteroscopy: brief clinical report (Nishiyama and Hanaoka), 379

Heart rate/blood pressure variability

- heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension (Kimura *et al*), 1110

Neuromuscular block

- onset of neuromuscular block at the masseter and adductor pollicis muscles following rocuronium or succinylcholine (de Rossi *et al*), 1133
- potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia (Lowry *et al*), 29
- sevoflurane exposure time and the neuromuscular blocking effect of vecuronium (Ahmed *et al*), 429

Oxygen transfer

- evaluation of a mathematical model to predict intrapulmonary shunt non-invasively: laboratory report (Secar *et al*), 483

Physiological

- the anesthetic record: accuracy and completeness (Devitt *et al*), 122

Temperature

- covering the head and face maintains intraoperative core temperature (Kamitani *et al*), 649

Transesophageal echocardiography (TEE)

- detection of retroperitoneal hemorrhage by transesophageal echocardiography during cardiac surgery: clinical report (Yamaura *et al*), 169
- hemodynamic effects of medical antishock trousers during mechanical ventilation (Fellahi *et al*), 423

Transfer function analysis

- transfer function analysis of the circulation in patients undergoing sevoflurane anesthesia (Fujiwara *et al*), 820

Morphine, see under Analgesics**Muscles**

- onset of neuromuscular block at the masseter and adductor pollicis muscles following rocuronium or succinylcholine (de Rossi *et al*), 1133
- rhabdomyolysis in association with Duchenne's muscular dystrophy: clinical report (Obata *et al*), 564

Myasthenia gravis, see under Complications**N****Nausea, see Vomiting, postoperative nausea and****Neonates**

- general anesthesia with remifentanyl for Cesarean section in a parturient with an acoustic neuroma: clinical report (Bédard *et al*), 576

Neostigmine, see Antagonists**Nerves**

- intra-axonal continuous measurement of lidocaine concentration and pH in squid giant axon: laboratory investigation (Sano *et al*), 1156
- transient nerve damage following intubation for trans-sphenoidal hypophysectomy: clinical report (Evers *et al*), 1143

Neuroleptanesthesia, see under Anesthetic techniques**Neuromuscular relaxants****Atracurium**

- laryngeal mask insertion using thiopental and low dose atracurium: a comparison with propofol (Koh *et al*), 670

Cisatracurium

- cisatracurium in a myasthenic patient undergoing

thymectomy: clinical report (Baraka *et al*), 779

- total intravenous anesthesia with remifentanyl, propofol and cisatracurium in end-stage renal failure: brief report (Dahaba *et al*), 696

Mivacurium

- low dose mivacurium is less effective than succinylcholine in electroconvulsive therapy: brief report (Cheam *et al*), 49
- potency and time course of mivacurium block during sevoflurane, isoflurane and intravenous anesthesia (Lowry *et al*), 29

Rocuronium

- onset of neuromuscular block at the masseter and adductor pollicis muscles following rocuronium or succinylcholine (de Rossi *et al*), 1133

Succinylcholine

- low dose mivacurium is less effective than succinylcholine in electroconvulsive therapy: brief report (Cheam *et al*), 49
- onset of neuromuscular block at the masseter and adductor pollicis muscles following rocuronium or succinylcholine (de Rossi *et al*), 1133

Vecuronium

- sevoflurane exposure time and the neuromuscular blocking effect of vecuronium (Ahmed *et al*), 429

Neurosurgery, see under Anesthesia**Nicardipine, see under Pharmacology****Nitric oxide, see Gases, non-anesthetic****Nitrous oxide, see under Anesthetics, gases****Noradrenaline, see under Central nervous system****Norepinephrine, see under Sympathetic nervous system****NSAIDs, see under Analgesics****O****Obstetrical surgery, see under Anesthesia****Ondansetron, see under Antiemetics****Ophthalmic surgery, see under Anesthesia****Opioids, see under Analgesics; Anesthetics, intravenous****Orthopedic surgery, see under Anesthesia****Otolaryngeal surgery, see under Anesthesia****Outpatient surgery, see Anesthesia, Ambulatory surgery****Oxygen****Free radicals**

- high dose propofol enhances red cell antioxidant capacity during CPB in humans (Ansley *et al*), 641
- hydroxyl radical formation during inhalation anesthesia in the reperfused working rat heart: laboratory report (Nakamura *et al*), 470

Oxygen (continued)**Free radicals (continued)**

- isoflurane impairs antioxidant defence system in guinea pig kidney: laboratory investigation (Durak *et al*), 797

Hypoxemia

- profound hypoxemia during treatment of low cardiac output after cardiopulmonary bypass: clinical report (Dennehy *et al*), 56

Monitoring transfer

- evaluation of a mathematical model to predict intrapulmonary shunt non-invasively: laboratory report (Secar *et al*), 483

Supply

- oxygen concentrators - a primary oxygen supply source: equipment report (Friesen *et al*), 1185

PACU, see Recovery, postoperative**Pain**

- see also **Analgesia, Postoperative; Analgesics**
- rheumatoid arthritis-affected temporomandibular joint pain analgesia by linear polarized near infrared irradiation: clinical report (Yokoyama and Oku), 683
- tourniquet inflation during arthroscopic knee ligament surgery does not increase postoperative pain (Hooper *et al*), 925

Patient-physician relationship

- communication skills for anesthesiologists: medical opinion (Smith and Shelly), 1082

Pediatric surgery, see under Anesthesia**Pentobarbital, see under Anesthetics, intravenous****Pharmacokinetics**

- influence of hypoxia and hyperoxia on the kinetics of propofol emulsion: laboratory investigation (Yamamoto *et al*), 1150
- target controlled infusion of ketamine as analgesia for TIVA with propofol (Gray *et al*), 957
- volume kinetics of Ringer solution after surgery for hip fracture (Svensén *et al*), 133

Pharmacology

- see also **Pharmacokinetics**

Amrinone

- profound hypoxemia during treatment of low cardiac output after cardiopulmonary bypass: clinical report (Dennehy *et al*), 56

Angiotensin-converting enzyme inhibitors

- airway obstruction due to late-onset angioneurotic edema from angiotensin-converting enzyme inhibition: clinical report (Mchaourab *et al*), 975
- chronic angiotensin converting enzyme inhibition does not influence renal hemodynamic and

function during cardiac surgery (Licker *et al*), 626

Antithrombin III

- treatment of heparin resistance with Antithrombin III in cardiac surgery: clinical report (Kanbak), 581

Cisapride

- cisapride does not alter gastric volume or pH in patients undergoing ambulatory surgery: brief report (Lydon *et al*), 1181

Diltiazem

- combined diltiazem and lidocaine reduces cardiovascular responses to tracheal extubation and anesthesia emergence in hypertensive patients (Fujii *et al*), 952
- heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension (Kimura *et al*), 1110

Dobutamine

- profound hypoxemia during treatment of low cardiac output after cardiopulmonary bypass: clinical report (Dennehy *et al*), 56

Dolasetron

- cost-effectiveness of prophylactic dolasetron or droperidol vs rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536

Droperidol

- cost-effectiveness of prophylactic dolasetron or droperidol vs rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536

Epinephrine

- landiolol decreases a dysrhythmogenic dose of epinephrine in dogs during halothane anesthesia: laboratory investigation (Takahashi *et al*), 599

Felypressin

- felypressin-induced reduction in coronary blood flow and myocardial tissue oxygen tension during anesthesia in dogs: laboratory investigation (Agata *et al*), 1070

Landiolol (ONO-1101)

- landiolol decreases a dysrhythmogenic dose of epinephrine in dogs during halothane anesthesia: laboratory investigation (Takahashi *et al*), 599

Lidocaine

- combined diltiazem and lidocaine reduces cardiovascular responses to tracheal extubation and anesthesia emergence in hypertensive patients (Fujii *et al*), 952

Nicardipine

- heart rate and blood pressure power spectral analysis during calcium channel blocker induced hypotension (Kimura *et al*), 1110

Pharmacoeconomics

- cost-effectiveness of prophylactic dolasetron or droperidol *vs* rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536

Prostaglandin

- oral clonidine reduces the requirement of prostaglandin E1 for induced hypotension (Murakami *et al*), 1043

Sodium nitroprusside

- profound hypoxemia during treatment of low cardiac output after cardiopulmonary bypass: clinical report (Dennehy *et al*), 56

Physician resources

- Canadian Anesthesia Physician Resources: 1996 and beyond: survey report (Donen *et al*), 962

Pierre Robin syndrome, see under Syndromes**Plants, *Mimosa pudica***

- inhalational and local anesthetics reduce tactile and thermal responses in *mimosa pudica*: laboratory investigation (Milne and Beamish), 287

PONV, see Vomiting, postoperative nausea and**Positioning patients**

- unilateral negative pressure pulmonary edema during anesthesia with a laryngeal mask airway: clinical report (Sullivan), 1053

Pott's disease, see under Complications**Pregnancy, see under Analgesia, Epidural; Anesthesia, Obstetrical surgery****Premedication, see under Anesthesia****Preoperative assessment, see Anesthesia, Preoperative assessment****Prilocaine, see under Anesthetics, local****Procaine, see under Anesthetics, local****Promethazine, see under Antiemetics****Propofol, see under Anesthetics, intravenous; Sedation****Prostaglandin, see under Pharmacology****Pruritus, see under Complications****Pyridostigmine, see Antagonists****Q****Quality of care**

- audit of ketoprofen prescribing after orthopedic and general surgery (Benhamou *et al*), 109

R**Ramosetron, see under Antiemetics****Records, anesthesia**

- the anesthetic record: accuracy and completeness (Devitt *et al*), 122

Recovery, postoperative

- decreased respiratory depression during emergence from anesthesia with sevoflurane/N₂O

than with sevoflurane alone (Einarsson *et al*), 335

- early postoperative complications following neurosurgical procedures (Manninen *et al*), 7
- midazolam premedication delays recovery from propofol-induced sevoflurane anesthesia in children 1-3 yr (Viitanen *et al*), 766
- patient flow in the Post Anesthesia Care Unit: an observational study (Tessler *et al*), 348
- sevoflurane-maintained anesthesia induced with propofol or sevoflurane in small children: induction and recovery characteristics (Viitanen *et al*), 21

Effects of anesthesia

- rats show unimpaired learning within minutes after recovery from single bolus propofol anesthesia: laboratory investigation (Engeland *et al*), 586

Regional anesthesia, see under Anesthetic techniques**Regurgitation, see under Complications****Remifentanyl, see under Analgesics****Resuscitation, see under Heart****Ringer's solution**

- volume kinetics of Ringer solution after surgery for hip fracture (Svensén *et al*), 133

Rocuronium, see under Neuromuscular relaxants**Ropivacaine, see under Anesthetics, local****S****Same-day surgery, see Anesthesia, Ambulatory surgery****Sedation**

- clinical assessment of target-controlled infusion of propofol during monitored anesthesia care (Casati *et al*), 235

Sepsis

- contamination susceptibility of three needleless and one standard needle injection systems: equipment report (Ho and Ling), 290

Sevoflurane, see under Anesthetics, volatile**Shivering**

- control of shivering under regional anesthesia in obstetric patients with tramadol (Chan *et al*), 253

Shock

- hemodynamic effects of medical antishock trousers during mechanical ventilation (Fellahi *et al*), 423
- systemic thermal injury in anesthetized rabbits causes early pulmonary vascular injury that is not ablated by lazaroids: laboratory report (Miles *et al*), 142

Sodium nitroprusside, see under Pharmacology

Spinal anesthesia, *see under* Anesthetic techniques

Stress, surgical

- response to surgical stress in elderly patients and Alzheimer's disease (Kudoh *et al*), 247

Stroke, *see under* Complications

Succinylcholine, *see under* Neuromuscular relaxants

Sufentanil, *see under* Analgesics

Surgery, *see different types under* Anesthesia

Sympathetic nervous system

α_2 -adrenergic agonist

- oral clonidine premedication reduces induction dose and prolongs awakening time from propofol nitrous oxide anesthesia: brief clinical report (Goyagi *et al*), 894

β receptors

- ketamine inhibits agonist-induced cAMP accumulation increase in human airway smooth muscle cells: laboratory investigation (Hill *et al*), 1172

Blood pressure

- propofol, but not etomidate, reduces desflurane-mediated sympathetic activation in humans (Lopatka *et al*), 342

Clonidine

- oral clonidine premedication reduces induction dose and prolongs awakening time from propofol nitrous oxide anesthesia: brief clinical report (Goyagi *et al*), 894
- oral clonidine reduces the requirement of prostaglandin E1 for induced hypotension (Murakami *et al*), 1043

Epinephrine

- response to surgical stress in elderly patients and Alzheimer's disease (Kudoh *et al*), 247

Heart rate

- propofol, but not etomidate, reduces desflurane-mediated sympathetic activation in humans (Lopatka *et al*), 342

Norepinephrine

- response to surgical stress in elderly patients and Alzheimer's disease (Kudoh *et al*), 247

Syndromes

Dandy-Walker/Pierre Robin

- intubation via LMA in pediatric patients with difficult airways: brief clinical report (Selim *et al*), 891

Duchenne's muscular dystrophy

- rhabdomyolysis in association with Duchenne's muscular dystrophy: clinical report (Obata *et al*), 564

Freeman-Sheldon

- anesthesia for Freeman-Sheldon syndrome using a laryngeal mask airway: clinical report (Cruikshanks *et al*), 783

T

Tachycardia, *see under* Complications

Temperature

Hyperthermia, malignant

- factitious halothane detection during trigger-free anesthesia in a malignant hyperthermia susceptible patient: clinical report (Hawkes), 567

Hypothermia

- auditory brainstem evoked responses and temperature monitoring during pediatric cardiopulmonary bypass (Rodriguez *et al*), 832
- covering the head and face maintains intraoperative core temperature (Kamitani *et al*), 649

Tenoxicam, *see under* Analgesics

Thiopental, *see under* Anesthetics, intravenous

Thoracic surgery, *see under* Anesthesia

TIVA, *see under* Anesthetics, intravenous

Tourniquets

- tourniquet inflation during arthroscopic knee ligament surgery does not increase postoperative pain (Hooper *et al*), 925

Tramadol, *see under* Analgesics

Transesophageal cardiography, *see under* Measurement techniques; Monitoring

Transplantation

- anesthetic management of living liver donors: brief report (Choudhry *et al*), 788
- combined lung and liver transplantation in a girl with cystic fibrosis: clinical report (Zimmerman *et al*), 571

2-chloroprocaine, *see under* Anesthetics, local

V

Vascular surgery, *see under* Anesthesia

Vecuronium, *see under* Neuromuscular relaxants

Vomiting, postoperative nausea and

- *see also* Antiemetics
- comparison of ondansetron with ondansetron and dexamethasone in prevention of PONV in diagnostic laparoscopy (Rajeeva *et al*), 40
- comparison of patient-controlled analgesia (PCA) with tramadol or morphine (Pang *et al*), 1030
- cost-effectiveness of prophylactic dolasetron or droperidol *vs* rescue therapy in the prevention of PONV in ambulatory gynecologic surgery patients (Frighetto *et al*), 536
- ondansetron with propofol reduces the incidence of emesis in children following tonsillectomy (Barst *et al*), 359
- oral granisetron for strabismus surgery in children (Munro *et al*), 45
- post discharge nausea and vomiting after ambu-

latory laparoscopy is not reduced by promethazine prophylaxis (Parlow *et al*), 719

- ramosetron *vs* granisetron for the prevention of postoperative nausea and vomiting after laparoscopic cholecystectomy: brief report (Fujii *et al*), 991

W

Withdrawal of treatment

- ethical and practical considerations of withdrawal of treatment in the Intensive Care Unit: medical ethics (Eschun *et al*), 497